		School Design
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A1.0	
BASE DESIGN ROOM NUMBER:	C003, P003	
COMPONENT GROUP	ADMINISTE	RATION
AREA NAME	RECEPTION	
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Reception desk control point with good visual surveillance of main entry vestibule/corridor and waiting areas
PRIMARY USER		School administrative assistant
DESIGNED OCCUPANCY NU	MBER	2
ORIENTATION / VIEWS		Front entrance
DAYLIGHTING		Desireable
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door with sidelite c/w metal frame
WINDOW, EXTERIOR		
WINDOW, INTERIOR		If possible
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		Sliding coiling grill at reception desk
INTERIOR FEATURES		
SPECIALTIES		1 @ 1200x1200 tack board - not visible by the public
OTHER		bulkhead over reception counter
FLOORS		CT; provide 600mm of contrasting RSF in front of the reception desk on the corridor side
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER		
INTERIOR WINDOW COVER	RINGS	Yes
FF&E REFER TO FURNITUR	E AND EQUIF	PMENT LIST
ТҮРЕ		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		-
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A1.0	
BASE DESIGN ROOM NUMBER:	C003, P003	
COMPONENT GROUP	ADMINISTI	RATION
AREA NAME	RECEPTION	l
OCCUPANT		
POWER		Work station receptacles, general purpose receptacles
COMMUNICATIONS		2 data + 2 VOIP
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, project	ors)	Auxiliary input to audio system
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		Printer, photocopier (sep ccts for each and data)

ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	A1.1		
BASE DESIGN ROOM NUMBER:	C002.A, P0	C002.A, P002.A	
COMPONENT GROUP	ADMINIST	RATION	
AREA NAME	WAITING		
OCCUPANT			
FUNCTIONAL CRITERIA			
SPACE FUNCTION		Waiting area	
PRIMARY USER		parents / public	
DESIGNED OCCUPANCY NU	MADED	4	
ORIENTATION / VIEWS	IAIDEI	Front entrance /reception	
DAYLIGHTING		Desireable	
SPECIAL CONSIDERATIONS		Desireable	
SPECIAL CONSIDERATIONS			
ARCHITECTURAL			
DOOR TYPE		Aluminum/glass entry door, aluminum frame	
WINDOW, EXTERIOR		Yes	
WINDOW, INTERIOR			
MILLWORK		Refer to Furniture / Equipment List	
PRIVACY/SECURITY			
INTERIOR FEATURES			
SPECIALTIES		1 @ 1200x1200 tack board - visible by the public	
OTHER		, ,	
FLOORS		RSF	
WALLS		Paint	
CEILING		ACT	
DOOR HARDWARE			
EXTERIOR WINDOW COVER	RINGS		
INTERIOR WINDOW COVER	INGS		
FF&E REFER TO FURNITUR	E AND EQU		
ТҮРЕ		QT DESCRIPTION	
STRUCTURAL			
SPECIAL REQUIREMENTS			
SI LCIAL ILLQUIREIVIENTS			
MECHANICAL			
OTHER		Water fountain nearby	
ELECTRICAL			
LIGHTING		Non-dimmable lighting	
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches	
POWER		General purpose receptacles	
COMMUNICATIONS		N/A	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A1.1	
BASE DESIGN ROOM NUMBER:	C002.A, P002.A	
COMPONENT GROUP	ADMINISTRATION	
AREA NAME	WAITING AREA	
OCCUPANT		
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projectors)		N/A
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		Door contacts at exterior doors
OTHER		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A2.0	
BASE DESIGN ROOM NUMBER:	P005.A	
COMPONENT GROUP	ADMINIST	RATION
AREA NAME	INFIRMAR	
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Area for students with illness
PRIMARY USER		Nurse, admin staff, teachers
DESIGNED OCCUPANCY NU	MRER	3
ORIENTATION / VIEWS	IVIDLIN	Work room / reception
DAYLIGHTING		Borrowed / none
SPECIAL CONSIDERATIONS		BOTTOWCU / HOTTC
SI ECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door with sidelite c/w metal frame
WINDOW, EXTERIOR		,
WINDOW, INTERIOR		
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		2 2 2 2 2 2 4 p 2 2 2 2
INTERIOR FEATURES		
SPECIALTIES		1 @ 1200x1200 whiteboard and 1 @ 1200x1200 tack board
OTHER		
FLOORS		СТ
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	
INTERIOR WINDOW COVER	INGS	Yes
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
MECHANICAL		Euleanet
OTHER		Exhaust
ELECTRICAL		
LIGHTING		Dimmable lighting
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		General purpose receptacles
COMMUNICATIONS		1 x VoIP
		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A2.0	
BASE DESIGN ROOM NUMBER:	P005.A	
COMPONENT GROUP	ADMINIS [*]	TRATION
AREA NAME	INFIRMA	RY
OCCUPANT		
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projectors)		N/A
DATA		1 x Recep, WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A2.1	
BASE DESIGN ROOM NUMBER:	C016	
COMPONENT GROUP	ADMINIST	RATION
AREA NAME	COUNSELL	ING / FIRST AID
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Flexible space for use as Nurse's station or counselling office
PRIMARY USER		Nurse, staff, teachers, students
DESIGNED OCCUPANCY NU	MBER	3
ORIENTATION / VIEWS		
DAYLIGHTING		Borrowed Desirable
SPECIAL CONSIDERATIONS		
A DOLLITEOTI ID A I		
ARCHITECTURAL		NA 1 1 21 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 2
DOOR TYPE		Wood door with sidelite c/w metal frame
WINDOW, EXTERIOR		Yes
WINDOW, INTERIOR		
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		1 @ 1200x1200 whiteboard and 1 @ 1200x1200 tack board, wall mounted flat
		screen monitor
OTHER		provide an access door from both the corridor and LAT
FLOORS		RSF
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER		Yes
INTERIOR WINDOW COVER	IINGS	Yes
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST
TYPE	•	QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		1 sink
ELECTRICAL		
LIGHTING		Dimmable lighting
LIGHTING CONTROL		Dimmer switch
POWER		General purpose receptacles

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A2.1	
BASE DESIGN ROOM NUMBER:	C016	
COMPONENT GROUP	ADMINIST	RATION
AREA NAME	COUNSELL	ING / FIRST AID
OCCUPANT		
COMMUNICATIONS		2 data at work station + 1 VOIP phone
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, project	ors)	Flat screen monitor
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

		School Design
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A3.1	
BASE DESIGN ROOM NUMBER:	C005, P007	
COMPONENT GROUP	ADMINISTR	ATION
AREA NAME	OFFICE	
OCCUPANT	PRINCIPAL	
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Principal's Office for private work and small meetings with students, parents and staff
PRIMARY USER		Principal
DESIGNED OCCUPANCY NU	MBER	4
ORIENTATION / VIEWS		Admin / main corridor
DAYLIGHTING		Desirable
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door with sidelite c/w metal frame
WINDOW, EXTERIOR		If possible
WINDOW, INTERIOR		Yes
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		1 @ 1200x1200 whiteboard and 2 @ 1200x1200 tack board
OTHER		
FLOORS		СТ
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	
INTERIOR WINDOW COVER	INGS	Yes
FF&E REFER TO FURNITUR	E AND FOLUE	DATENIT LIST
TYPE	L AND EQUIP	QT DESCRIPTION
ITPE		Q1 DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
, -		
MECHANICAL		
OTHER		-
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		Work station receptacles, general purpose receptacles

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A3.1	
BASE DESIGN ROOM NUMBER:	C005, P007	
COMPONENT GROUP	ADMINISTR	ATION
AREA NAME	OFFICE	
OCCUPANT	PRINCIPAL	
COMMUNICATIONS		2 data at work station + 1 VOIP phone
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, project	ors)	No
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		Printer (sep. cct. + data)

		School Design
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A3.2	
BASE DESIGN ROOM NUMBER:	C004, P006	
COMPONENT GROUP	ADMINIST	RATION
AREA NAME	OFFICE	
OCCUPANT	VICE PRINC	CIPAL
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Vice Principal's Office for private work and small meetings with students, parents and staff
PRIMARY USER		Vice Principal
DESIGNED OCCUPANCY NU	MBER	3
ORIENTATION / VIEWS		Admin / main corridor
DAYLIGHTING		Borrowed Desirable
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door with sidelite c/w metal frame
WINDOW, EXTERIOR		
WINDOW, INTERIOR		Yes
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		7 - 4
INTERIOR FEATURES		
SPECIALTIES		1 @ 1200x1200 whiteboard and 2 @ 1200x1200 tack board
OTHER		
FLOORS		СТ
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	
INTERIOR WINDOW COVER	INGS	Yes
FF&E REFER TO FURNITUR	E AND EQUII	
ТҮРЕ		QT DESCRIPTION
CTRUCTURAL		
STRUCTURAL SPECIAL REQUIREMENTS		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		-
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		Work station receptacles, general purpose receptacles

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A3.2	
BASE DESIGN ROOM NUMBER:	C004, P006	
COMPONENT GROUP	ADMINIST	RATION
AREA NAME	OFFICE	
OCCUPANT	VICE PRINC	CIPAL
COMMUNICATIONS		2 data at work station + 1 VOIP phone
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, projectors)		No
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		Printer (sep. cct. + data)

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A3.3	
BASE DESIGN ROOM NUMBER:	P005.B	
COMPONENT GROUP	ADMINIST	RATION
AREA NAME	OFFICE	·········
OCCUPANT	011102	
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Office/Meeting space
PRIMARY USER		Admin staff, teachers
DESIGNED OCCUPANCY NU	MADED	3
ORIENTATION / VIEWS	IVIDLI	Reception / main corridor
DAYLIGHTING		Borrowed Desirable
SPECIAL CONSIDERATIONS		DOTTOWCG DESITABLE
31 LCIAL CONSIDENATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door with sidelite c/w metal frame
WINDOW, EXTERIOR		Yes
WINDOW, INTERIOR		Yes
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		1 @ 1200x1200 whiteboard and 1 @ 1200x1200 tack board
OTHER		
FLOORS		СТ
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	Yes
INTERIOR WINDOW COVER	INGS	Yes
FF&E REFER TO FURNITUR	E AND EQU	PMENT LIST
ТҮРЕ		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
ST LOW LE RECONCEIVIENTS		
MECHANICAL		
OTHER		-
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		Work station receptacles, general purpose receptacles
COMMUNICATIONS		2 data at work station + 1 VOIP phone
		1

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A3.3	
BASE DESIGN ROOM NUMBER:	P005.B	
COMPONENT GROUP	ADMINIS	TRATION
AREA NAME	OFFICE	
OCCUPANT		
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, projecto	ors)	No
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILL	ANCE	N/A
SECURITY - INTRUSION		N/A
OTHER		

		<u> </u>
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A3.5	
BASE DESIGN ROOM NUMBER:	C017, P004	
COMPONENT GROUP	ADMINIST	RATION
AREA NAME	ITINERANT	
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Office/Meeting space for Itinerant staff
PRIMARY USER		Admin staff, teachers, division staff
DESIGNED OCCUPANCY NU	IMBER	6
ORIENTATION / VIEWS		View to circulation space
DAYLIGHTING		Borrowed Desirable
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door with sidelite c/w metal frame
WINDOW, EXTERIOR		Yes
WINDOW, INTERIOR		Yes
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		1 @ 1200x1200 whiteboard and 1 @ 1200x1200 tack board, wall mounted flat screen monitor
OTHER		Provide chair rail protection on walls. PSSD - provide an access door from the corridor . GSCS - provide an access door from both the corridor and Student Services
FLOORS		PSSD - CT. GSCS - RSF
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	Yes
INTERIOR WINDOW COVER	INGS	Yes
FEO E DEFED TO FURNITUR	E AND FOUR	
FF&E REFER TO FURNITUR	E AND EQUI	
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
SPECIAL REQUIREIVIENTS		
MECHANICAL		
OTHER		-
ELECTRICAL		
LIGHTING		Dimmable lighting
2.0		2doi: ilgitting

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A3.5	
BASE DESIGN ROOM NUMBER:	C017, P004	
COMPONENT GROUP	ADMINISTRATION	
AREA NAME	ITINERANT	
OCCUPANT		
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		General purpose receptacles
COMMUNICATIONS		2 data at work station + 1 VOIP phone
CLASS CALL/INTERCOM		No
CLOCK		Yes
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, projectors)		Wall mounted flat screen monitor
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		None
SECURITY - INTRUSION		
OTHER		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A3.7	
BASE DESIGN ROOM NUMBER:	C221, P248	3
COMPONENT GROUP	ADMINIST	RATION
AREA NAME	MAINT. OF	FICE
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Office for school division building services staff
PRIMARY USER		Custodian
DESIGNED OCCUPANCY NU	MBER	2
ORIENTATION / VIEWS		View to circulation space
DAYLIGHTING		Borrowed Desirable
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door with sidelite c/w metal frame
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		1 @ 1200x1200 whiteboard and 1 @ 1200x1200 tack board and wall mounted
		flat screen monitor
OTHER		
FLOORS		RSF
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER		
INTERIOR WINDOW COVER	INGS	Yes
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		
OTHER		
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		Non-dimmable lighting Occupancy Sensor w/ manual override switches
POWER		
FUVEN		Work station receptacles, general purpose receptacles

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A3.7	
BASE DESIGN ROOM NUMBER:	C221, P248	3
COMPONENT GROUP	ADMINIST	RATION
AREA NAME	MAINT. OI	FICE
OCCUPANT		
COMMUNICATIONS		2 data at work station + 1 VOIP phone
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, project	ors)	No
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

FUNCTIONAL PROGRAM ROOM NUMBER: BASE DESIGN ROOM NUMBER: COMPONENT GROUP AREA NAME OCCUPANT FUNCTIONAL CRITERIA STAFF OCCUPANT STAFF OCCUPANT FUNCTIONAL CRITERIA STAFF OCCUPANT FUNCTIONAL CRITERIA STAFF OCCUPANT OCCUPANT STAFF OCCUPANT OCCUPANT STAFF			School Besign			
ROOM NUMBER: BASE DESIGN ROOM NUMBER: COMPONENT GROUP AREA NAME OCCUPANT FUNCTIONAL CRITERIA SPACE FUNCTION STAFF OCCUPANT FUNCTIONAL CRITERIA SPACE FUNCTION STAFF OCCUPANT VIEWS SPACE FUNCTION STAFF OCCUPANT VIEWS STAFF STAFF OCCUPANT VIEWS STAFF STAFF OCCUPANT VIEWS STAFF STAFF OCCUPANT VIEWS STAFF STAFF STAFF OCCUPANT VIEWS STAFF STAFF OCCUPANT VIEWS STAFF STAFF OCCUPANT VIEWS STAFF STAFF OCCUPANT VIEWS STAFF OCCUPANT VIEWS ON INCOME STAFF OCCUPANT VIEWS ON INCOME STAFF ON INCOME STAFF OCCUPANT VIEWS ON INCOME STAFF OCCUPANT VIEWS ON INCOME STAFF OCCUPANT VIEWS ON INCOME STAFF ON INCOME STAF	ROOM DATA SHEET	ROOM DATA SHEET				
NUMBER: COMPONENT GROUP ADMINISTRATION		A4.1				
AREA NAME OCCUPANT FUNCTIONAL CRITERIA SPACE FUNCTION Staff lunch room and gathering space, informal meeting space PRIMARY USER Staff, administration DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS ORIENTAT		C030, P041	C030, P041, P218			
STATE FUNCTIONAL CRITERIA SPACE FUNCTION Staff lunch room and gathering space, informal meeting space Staff, administration Staff, administr	COMPONENT GROUP	ADMINIST	RATION			
STATE FUNCTIONAL CRITERIA SPACE FUNCTION Staff lunch room and gathering space, informal meeting space Staff, administration Staff, administr	AREA NAME	STAFF				
SPACE FUNCTION Staff lunch room and gathering space, informal meeting space PRIMARY USER Staff, administration DESIGNED OCCUPANCY NUMBER 0 ORIENTATION / VIEWS View to main circulation space & exterior DAYLIGHTING Direct/Borrowed SPECIAL CONSIDERATIONS Coat closet ARCHITECTURAL DOR TYPE Wood door with sidelite c/w metal frame WINDOW, EXTERIOR Yes - view to play space WINDOW, INTERIOR Yes - view to student commons MILLWORK Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 @ 1200x1200 whiteboard and 2 @ 1200x1200 tack boards OTHER not backing gym wall FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING Dimmable lighting LIGHTING CONTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.	OCCUPANT					
PRIMARY USER DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS DAYLIGHTING DIFFECTURAL DOOR TYPE Wood door with sidelite c/w metal frame WINDOW, EXTERIOR WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 @ 1200x1200 whiteboard and 2 @ 1200x1200 tack boards OTHER not backing gym wall FLOORS RSF WALLS PAINT DOOR HARDWARE LOCKABle EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS Ves INTERIOR WINDOW COVERINGS TYPE PRIVACY SECURITY OTHER NOT BACKBOOK DOOR HARDWARE LOCKABLE STREICR WINDOW COVERINGS Ves INTERIOR WINDOW COVERINGS TYPE PREAE REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL TIES DOUBLE SINK, dishwasher ELECTRICAL LIGHTING DImmable lighting LIGHTING COUNTED Ights are manual.	FUNCTIONAL CRITERIA					
PRIMARY USER DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS DAYLIGHTING DIFFECTURAL DOOR TYPE Wood door with sidelite c/w metal frame WINDOW, EXTERIOR WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 @ 1200x1200 whiteboard and 2 @ 1200x1200 tack boards OTHER not backing gym wall FLOORS RSF WALLS PAINT DOOR HARDWARE LOCKABle EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS Ves INTERIOR WINDOW COVERINGS TYPE PRIVACY SECURITY OTHER NOT BACKBOOK DOOR HARDWARE LOCKABLE STREICR WINDOW COVERINGS Ves INTERIOR WINDOW COVERINGS TYPE PREAE REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL TIES DOUBLE SINK, dishwasher ELECTRICAL LIGHTING DImmable lighting LIGHTING COUNTED Ights are manual.	SPACE FUNCTION		Staff lunch room and gathering space, informal meeting space			
DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS View to main circulation space & exterior DAYLIGHTING DIPECT/Borrowed SPECIAL CONSIDERATIONS Coat closet ARCHITECTURAL DOOR TYPE Wood door with sidelite c/w metal frame WINDOW, EXTERIOR Yes - view to play space WINDOW, INTERIOR MILLWORK Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 @ 1200x1200 whiteboard and 2 @ 1200x1200 tack boards OTHER not backing gym wall FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE LOckable EXTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes FREE REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING Dimmable lighting Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.						
DAYLIGHTING SPECIAL CONSIDERATIONS Coat closet ARCHITECTURAL DOOR TYPE Wood door with sidelite c/w metal frame WINDOW, EXTERIOR Yes - view to play space WINDOW, INTERIOR Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 @ 1200x1200 whiteboard and 2 @ 1200x1200 tack boards OTHER not backing gym wall FLOORS RSF WALLS PRINT CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS YES FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING Dimmable lighting Ceiling mounted OCC OC/ daylight sensor with manual dimming control, Counter lights are manual.		MBER	·			
DAYLIGHTING SPECIAL CONSIDERATIONS Coat closet ARCHITECTURAL DOOR TYPE Wood door with sidelite c/w metal frame WINDOW, EXTERIOR Yes - view to play space WINDOW, INTERIOR Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 @ 1200x1200 whiteboard and 2 @ 1200x1200 tack boards OTHER not backing gym wall FLOORS RSF WALLS PRINT CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS YES FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING Dimmable lighting Ceiling mounted OCC OC/ daylight sensor with manual dimming control, Counter lights are manual.	ORIENTATION / VIEWS		View to main circulation space & exterior			
ARCHITECTURAL DOOR TYPE Window, EXTERIOR WINDOW, EXTERIOR WINDOW, EXTERIOR Yes - view to play space WINDOW, INTERIOR MILLWORK Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 @ 1200x1200 whiteboard and 2 @ 1200x1200 tack boards OTHER not backing gym wall FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Double sink, dishwasher LIGHTING Dimmable lighting Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.			, ,			
DOOR TYPE Wood door with sidelite c/w metal frame WINDOW, EXTERIOR Yes - view to play space WINDOW, INTERIOR Yes - view to student commons MILLWORK Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 @ 1200x1200 whiteboard and 2 @ 1200x1200 tack boards OTHER not backing gym wall FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING Dimmable lighting LIGHTING CONTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.			,			
DOOR TYPE Wood door with sidelite c/w metal frame WINDOW, EXTERIOR Yes - view to play space WINDOW, INTERIOR Yes - view to student commons MILLWORK Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 @ 1200x1200 whiteboard and 2 @ 1200x1200 tack boards OTHER not backing gym wall FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING Dimmable lighting LIGHTING CONTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.						
WINDOW, EXTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WES - view to student commons MILLWORK Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 @ 1200x1200 whiteboard and 2 @ 1200x1200 tack boards OTHER not backing gym wall FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING Dimmable lighting LIGHTING CONTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.	ARCHITECTURAL					
WINDOW, INTERIOR MILLWORK Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 @ 1200x1200 whiteboard and 2 @ 1200x1200 tack boards OTHER not backing gym wall FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING LIGHTING Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.	DOOR TYPE		Wood door with sidelite c/w metal frame			
WINDOW, INTERIOR MILLWORK Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 @ 1200x1200 whiteboard and 2 @ 1200x1200 tack boards OTHER not backing gym wall FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING LIGHTING Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.	WINDOW, EXTERIOR		Yes - view to play space			
PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1 @ 1200x1200 whiteboard and 2 @ 1200x1200 tack boards OTHER not backing gym wall FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING LIGHTING Dimmable lighting LIGHTING CONTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.	WINDOW, INTERIOR					
INTERIOR FEATURES SPECIALTIES 1 @ 1200x1200 whiteboard and 2 @ 1200x1200 tack boards OTHER not backing gym wall FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING LIGHTING Dimmable lighting LIGHTING CONTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.	-		Refer to Furniture / Equipment List			
INTERIOR FEATURES SPECIALTIES 1 @ 1200x1200 whiteboard and 2 @ 1200x1200 tack boards OTHER not backing gym wall FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING LIGHTING Dimmable lighting LIGHTING CONTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.						
OTHER						
OTHER			1 @ 1200x1200 whiteboard and 2 @ 1200x1200 tack boards			
FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING LIGHTING COUNTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.	OTHER					
WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS YES INTERIOR WINDOW COVERINGS YES INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVER						
DOOR HARDWARE EXTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING LIGHTING LIGHTING CONTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.						
DOOR HARDWARE EXTERIOR WINDOW COVERINGS Yes INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING LIGHTING LIGHTING CONTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.						
INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING LIGHTING LIGHTING CONTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.			Lockable			
FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING Dimmable lighting LIGHTING CONTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.	EXTERIOR WINDOW COVER	RINGS	Yes			
TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING Dimmable lighting LIGHTING CONTROL Counter lights are manual.	INTERIOR WINDOW COVER	INGS	Yes			
TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING Dimmable lighting LIGHTING CONTROL Counter lights are manual.						
STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING Dimmable lighting LIGHTING CONTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.	FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST			
MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING LIGHTING CONTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.	TYPE		QT DESCRIPTION			
MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING LIGHTING CONTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.						
MECHANICAL OTHER Double sink, dishwasher ELECTRICAL LIGHTING Dimmable lighting LIGHTING CONTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.	STRUCTURAL					
OTHER Double sink, dishwasher ELECTRICAL LIGHTING Dimmable lighting LIGHTING CONTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.	SPECIAL REQUIREMENTS					
OTHER Double sink, dishwasher ELECTRICAL LIGHTING Dimmable lighting LIGHTING CONTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.						
ELECTRICAL LIGHTING Dimmable lighting LIGHTING CONTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.	MECHANICAL					
ELECTRICAL LIGHTING Dimmable lighting LIGHTING CONTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.	OTHER		Double sink, dishwasher			
LIGHTING Dimmable lighting LIGHTING CONTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.						
LIGHTING Dimmable lighting LIGHTING CONTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.	ELECTRICAL					
LIGHTING CONTROL Ceiling mounted OCC OC/ daylight sensor with manual dimming control. Counter lights are manual.	LIGHTING		Dimmable lighting			
Counter lights are manual.						
· · · · · · · · · · · · · · · · · · ·						
	POWER		Multiple GFI counter duplex, Gen Purpose in room			

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A4.1	
BASE DESIGN ROOM NUMBER:	C030, P041, P218	
COMPONENT GROUP	ADMINISTRATION	
AREA NAME	STAFF	
OCCUPANT		
COMMUNICATIONS		3 data + 1 VOIP
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, projectors)		No
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		
OTHER		kitchenette equipment

		School Design
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A4.2	
BASE DESIGN ROOM NUMBER:	C008, C02	22, C032,C210, c215, P008, P046, P224, P212
COMPONENT GROUP	ADMINIS [*]	TRATION
AREA NAME	TEACHER	
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Collaboration workroom/meeting room
PRIMARY USER		Teachers, Assistants, Specialists
DESIGNED OCCUPANCY NU	MBER	0
ORIENTATION / VIEWS		C215 requires view into the Multi Purpose Da Vinci Room, C22 requires view
		to student commons and administration area
DAYLIGHTING SPECIAL CONSIDERATIONS		Borrowed Desirable
ARCHITECTURAL		
DOOR TYPE		Wood door with sidelite c/w metal frame
WINDOW, EXTERIOR		If possible
WINDOW, INTERIOR		Yes
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		1 @ 1200x1200 whiteboard and 1 @ 1200x1200 tack board
OTHER		
FLOORS		CT
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	Yes
INTERIOR WINDOW COVER	INGS	Yes
FF&E REFER TO FURNITUR	E AND EQU	
TYPE		QT DESCRIPTION
CTD LICTURAL		
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		1 teacher collaboration room on the 2nd floor (C215) requires exhaust and vent for smudging cerimonies
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
2.3111113 CONTINOL		Coodpanies Senson W. Mandan Overhale Switches

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A4.2	
BASE DESIGN ROOM NUMBER:	C008, C022, C032,C210, c215, P008, P046, P224, P212	
COMPONENT GROUP	ADMINISTRATION	
AREA NAME	TEACHER COLLAB.	
OCCUPANT		
POWER		Duplex receptacle per workstation + GP receptacles
COMMUNICATIONS		1 VOIP phone + 2 data per workstation
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, project	ors)	AV input at desk + at projector up to ceiling, O/H Data & Duplex, video conference capable, wall mounted flat screen monitor
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		Printer, Projector

ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	A4.3		
BASE DESIGN ROOM NUMBER:	C003.A, P0	C003.A, P003.A	
COMPONENT GROUP	ADMINIST	RATION	
AREA NAME	WORK RO		
OCCUPANT			
FUNCTIONAL CRITERIA			
SPACE FUNCTION		Work/preparation area for teachers and staff complete with paper and supply storage and printers	
PRIMARY USER		Teachers and staff	
DESIGNED OCCUPANCY NU	MBER	8	
ORIENTATION / VIEWS			
DAYLIGHTING		Not Required	
SPECIAL CONSIDERATIONS			
ARCHITECTURAL			
DOOR TYPE		Wood door with sidelite c/w metal frame	
WINDOW, EXTERIOR		Yes	
WINDOW, INTERIOR		Yes	
MILLWORK		Refer to Furniture / Equipment List	
PRIVACY/SECURITY			
INTERIOR FEATURES			
SPECIALTIES		1 @ 1200x1200 tack board	
OTHER			
FLOORS		СТ	
WALLS		Paint	
CEILING		ACT	
DOOR HARDWARE		Lockable	
EXTERIOR WINDOW COVER	RINGS	Yes	
INTERIOR WINDOW COVER	INGS	Yes	
FF&E REFER TO FURNITUR	E AND EQUI		
TYPE		QT DESCRIPTION	
STRUCTURAL			
SPECIAL REQUIREMENTS			
MECHANICAL			
OTHER		Exhaust for laminator and photocopier. small single sink	
		· · ·	
ELECTRICAL			
LIGHTING		Non-dimmable lighting	
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches	
POWER		General purpose receptacle, photocopier receptacle, above counter	
		The particular production of the production of t	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A4.3	
BASE DESIGN ROOM NUMBER:	C003.A, P0	03.A
COMPONENT GROUP	ADMINISTRATION	
AREA NAME	WORK ROO	OM
OCCUPANT		
		receptacles
COMMUNICATIONS		1 VOIP + 1 data for photocopier + 2 data above counter in at 2 locations
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projectors)		N/A
DATA		WAP

power/data for other printers + equipment

N/A

N/A

N/A

SECURITY - CARD ACCESS

SECURITY - INTRUSION

OTHER

SECURITY - VIDEO SURVEILLANCE

ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	A4.4		
BASE DESIGN ROOM NUMBER:	C030.A, C2	C030.A, C204.B, C009, P009, P038, P225, P231,	
COMPONENT GROUP	ADMINIST	RATION	
AREA NAME	STORAGE		
OCCUPANT			
FUNCTIONAL CRITERIA			
SPACE FUNCTION			
PRIMARY USER		Admin staff, teachers. P231 - Staff and Students	
DESIGNED OCCUPANCY NU	MBER	0	
ORIENTATION / VIEWS		P231 - Mezzanine storage space overlooking Industrial Arts	
DAYLIGHTING		Not Required	
SPECIAL CONSIDERATIONS			
ARCHITECTURAL			
DOOR TYPE		Wood door c/w metal frame (except room P231. P231 does not require a door)	
WINDOW, EXTERIOR			
WINDOW, INTERIOR			
MILLWORK		Refer to Furniture / Equipment List	
PRIVACY/SECURITY			
INTERIOR FEATURES			
SPECIALTIES			
OTHER			
FLOORS		RSF	
WALLS		Paint	
CEILING		ACT (P231 - ES)	
DOOR HARDWARE		Lockable. (except P231)	
EXTERIOR WINDOW COVER			
INTERIOR WINDOW COVER	INGS		
FF&E REFER TO FURNITUR	E AND EQUI		
TYPE		QT DESCRIPTION	
STRUCTURAL			
SPECIAL REQUIREMENTS			
MECHANICAL			
OTHER			
ELECTRICAL			
LIGHTING		Non-dimmable lighting	
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches	
POWER		General purpose receptacles	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	A4.4	
BASE DESIGN ROOM NUMBER:	C030.A, C204.B, C009, P009, P038, P225, P231,	
COMPONENT GROUP	ADMINISTRATION	
AREA NAME	STORAGE	
OCCUPANT		
COMMUNICATIONS	N/A	
CLASS CALL/INTERCOM	N/A	
CLOCK	N/A	
SOUND ENHANCEMENT	N/A	
SPECIALTY A/V (TV, projecto	ors) N/A	
DATA	N/A	
SECURITY - CARD ACCESS	N/A	
SECURITY - VIDEO SURVEILL	ANCE N/A	
SECURITY - INTRUSION	N/A	
OTHER		

		School Design
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B1.0	
BASE DESIGN ROOM	C054, P067	,
NUMBER:		
COMPONENT GROUP	BUILDING S	SERVICE
AREA NAME	SERVERY	
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Fully accessible prep kitchen used primarily for instruction, lunch-hour and
PRIMARY USER		special events. Shared between schools Staff, students, special events access
DESIGNED OCCUPANCY NU	MDED	0
ORIENTATION / VIEWS	IVIDEN	View to shared corridor and gyms
DAYLIGHTING		Not Required
SPECIAL CONSIDERATIONS		Not nequired
SI LEIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door with sidelite c/w metal frame. 3660mm wide garage door with
DOORTTPE		transparent glass panels.
WINDOW, EXTERIOR		
WINDOW, INTERIOR		Yes
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		1 @ 1200x1200 whiteboard and 1 @ 1200x1200 tack board. Projection
		screen. C022 - wall mounted flat screen monitor
OTHER		bulkhead for overhead door tracks
FLOORS		RSF or Ceramic Tile
WALLS		Paint
CEILING		GWB or ACT - wipeable
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER		
INTERIOR WINDOW COVER	INGS	Yes
FF&E REFER TO FURNITUR	E AND EQUI	
TYPE		QT DESCRIPTION
		<u> </u>
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		Kitchen Exhaust Hoods. 1 hand washing sink, I triple pot sink
ELECTRICAL		
LIGHTING		Non-dimmable lighting

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B1.0	
BASE DESIGN ROOM NUMBER:	C054, P067	
COMPONENT GROUP	BUILDING	SERVICE
AREA NAME	SERVERY	
OCCUPANT		
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		Receptacles / hard wired connections to suit equipment list
COMMUNICATIONS		1 VOIP phone + 2 data at 2 locations
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, project	ors)	No
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		Range hood, Dishwasher, Microwave(s), Cooler(s), fire alarm horn strobes, exhaust fan

		School Besign	
ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.1		
BASE DESIGN ROOM NUMBER:	C047, P060		
COMPONENT GROUP	BUILDING	SFRVICE	
AREA NAME	GIRLS CHA		
OCCUPANT	GINES CITY		
FUNCTIONAL CRITERIA			
		Change Doom for girls Cum classes and special evening events	
SPACE FUNCTION PRIMARY USER		Change Room for girls Gym classes and special evening events Phys Ed class	
DESIGNED OCCUPANCY NU	NADED	15	
	IVIBER	15	
ORIENTATION / VIEWS		Not Doguired	
DAYLIGHTING SPECIAL CONSIDERATIONS		Not Required	
SPECIAL CONSIDERATIONS			
ARCHITECTURAL			
DOOR TYPE		Wood door c/w metal frame	
		wood door c/w metal name	
WINDOW, EXTERIOR			
WINDOW, INTERIOR		Defeate Frankling / Farriage entitlet	
MILLWORK		Refer to Furniture / Equipment List	
PRIVACY/SECURITY			
INTERIOR FEATURES			
SPECIALTIES		Change partitions for individual change stalls and washroom stall.	
OTHER			
FLOORS		EP	
WALLS		Paint	
CEILING		GWB	
DOOR HARDWARE	NN CC	Lockable	
EXTERIOR WINDOW COVER			
INTERIOR WINDOW COVER	IINGS		
CEOE DEFENTA CURNITUR	E AND FOLU	DMENT LIST	
FF&E REFER TO FURNITUR	E AND EQUI		
TYPE		QT DESCRIPTION	
STRUCTURAL			
SPECIAL REQUIREMENTS			
JI LCIAL NEQUINEIVIENTS			
MECHANICAL			
OTHER		1 Lavatory, 2 W/C, Floor Drain(s)	
OTTILIN		± Lavatory, 2 vv/C, riour Diamilaj	
ELECTRICAL			
LIGHTING		Non-dimmable lighting	
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches	
POWER		General purpose receptacles	
COMMUNICATIONS		N/A	
		•	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.1	
BASE DESIGN ROOM NUMBER:	C047, P060	
COMPONENT GROUP	BUILDING SERVICE	
AREA NAME	GIRLS CHAI	NGE
OCCUPANT		
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, project	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		Electric Hand Dryer

		School Besign	
ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.2		
BASE DESIGN ROOM NUMBER:	C048, P061		
COMPONENT GROUP	BUILDING	SFRVICE	
AREA NAME	BOYS CHAI		
OCCUPANT			
FUNCTIONAL CRITERIA			
SPACE FUNCTION		Change Poom for hove Gym classes and special evening events	
PRIMARY USER		Change Room for boys Gym classes and special evening events Phys Ed class	
DESIGNED OCCUPANCY NU	MADED	15	
ORIENTATION / VIEWS	IVIDEN	15	
DAYLIGHTING		Not Required	
SPECIAL CONSIDERATIONS		Not required	
SPECIAL CONSIDERATIONS			
ARCHITECTURAL			
DOOR TYPE		Wood door c/w metal frame	
WINDOW, EXTERIOR			
WINDOW, INTERIOR			
MILLWORK		Refer to Furniture / Equipment List	
PRIVACY/SECURITY			
INTERIOR FEATURES			
SPECIALTIES		Change partitions for individual change stalls and washroom stalls.	
OTHER		enange partitions for marriadal change stalls and washingon stalls.	
FLOORS		EP	
WALLS		Paint	
CEILING		GWB	
DOOR HARDWARE		Lockable	
EXTERIOR WINDOW COVER	RINGS		
INTERIOR WINDOW COVER	INGS		
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST	
TYPE		QT DESCRIPTION	
STRUCTURAL			
SPECIAL REQUIREMENTS			
MECHANICAL			
OTHER		1 Lavatory, 2 W/C, Floor Drain(s)	
ELECTRICAL			
LIGHTING		Non-dimmable lighting	
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches	
POWER		General purpose receptacles	
COMMUNICATIONS		N/A	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.2	
BASE DESIGN ROOM NUMBER:	C048, P061	
COMPONENT GROUP	BUILDING SERVICE	
AREA NAME	BOYS CHANGE	
OCCUPANT		
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, project	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		Electric Hand Dryer

ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.3		
BASE DESIGN ROOM NUMBER:	C012.A, P0	C012.A, P021, P024	
COMPONENT GROUP	BUILDING	SERVICE	
AREA NAME	W/C		
OCCUPANT	KINDERGA	RTEN	
FUNCTIONAL CRITERIA			
SPACE FUNCTION		Pre-Kindergarten W/C	
PRIMARY USER		Pre-Kindergarten W/C Pre-Kindergarten Students	
DESIGNED OCCUPANCY NU	MARED	2	
ORIENTATION / VIEWS	IVIDEIX	2	
DAYLIGHTING		Not Required	
SPECIAL CONSIDERATIONS		Within Kindergarten learning classroom	
SPECIAL CONSIDERATIONS		within Kindergarten learning classroom	
ARCHITECTURAL			
DOOR TYPE		Wood door c/w metal frame	
WINDOW, EXTERIOR		,	
WINDOW, INTERIOR			
MILLWORK		Refer to Furniture / Equipment List	
PRIVACY/SECURITY		, , ,	
INTERIOR FEATURES			
SPECIALTIES		Mirror	
OTHER			
FLOORS		EP	
WALLS		Paint	
CEILING		GWB	
DOOR HARDWARE		Passage	
EXTERIOR WINDOW COVER	RINGS		
INTERIOR WINDOW COVER			
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST	
TYPE		QT DESCRIPTION	
STRUCTURAL			
SPECIAL REQUIREMENTS			
MECHANICAL			
OTHER		1 lavatory, 1 W/C, 1 Floor Drain	
ELECTRICAL			
		Non dimmable lighting	
LIGHTING CONTROL		Non-dimmable lighting	
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches	
POWER		GFI for staff washrooms only	
COMMUNICATIONS		N/A	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.3	
BASE DESIGN ROOM NUMBER:	012.A, P021, P024	
COMPONENT GROUP	UILDING SERVICE	
AREA NAME	V/C	
OCCUPANT	INDERGARTEN	
CLASS CALL/INTERCOM	Via ceiling speakers	
CLOCK	N/A	
SOUND ENHANCEMENT	N/A	-
SPECIALTY A/V (TV, projecto	s) N/A	
DATA	N/A	
SECURITY - CARD ACCESS	N/A	
SECURITY - VIDEO SURVEILL	NCE N/A	
SECURITY - INTRUSION		
OTHER	Electric Hand Dryer	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.4	
BASE DESIGN ROOM NUMBER:	C011, C03	3, C208, P019, P052.A, P070, P203.A, P234.B, P219.A
COMPONENT GROUP	BUILDING	SERVICE
AREA NAME	W/C	
OCCUPANT	STUDENT	
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Student W/C
PRIMARY USER		students
DESIGNED OCCUPANCY NU	IMBFR	0
ORIENTATION / VIEWS	TVIDEIT	
DAYLIGHTING		Not Required
SPECIAL CONSIDERATIONS		
S. LOW LE CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door c/w metal frame
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		Mirror(s)
OTHER		
FLOORS		EP
WALLS		Paint
CEILING		GWB
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	
INTERIOR WINDOW COVER	INGS	
FF&E REFER TO FURNITUR	E AND EQU	IPMENT LIST
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MATCHANICAL		
MECHANICAL		Levelondina WICh Flore Desiries
OTHER		Lavatory(ies), W/C(s), Floor Drain(s)
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		General purpose receptacles
COMMUNICATIONS		N/A
		•

ROOM DATA SHEET		
ROOM DATA SHEET		
FUNCTIONAL PROGRAM	B2.4	
ROOM NUMBER:		
BASE DESIGN ROOM	C011, C033	3, C208, P019, P052.A, P070, P203.A, P234.B, P219.A
NUMBER:		
COMPONENT GROUP	BUILDING	SERVICE
AREA NAME	W/C	
OCCUPANT	STUDENT	
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, project	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		
OTHER		Electric Hand Dryer

		School Design
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.5	
BASE DESIGN ROOM	C010, C025	5, C034, C208.A, C212.B, P018, P035, P052.B, P069, P203.B, P219.B, P220.B,
NUMBER:	P234.A	
COMPONENT GROUP	BUILDING	SERVICE
AREA NAME	W/C	
OCCUPANT	UNI-SEX, B	B/F, AND STAFF
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Unisex Barrier Free W/C for staff and students
PRIMARY USER		students, teachers, admin staff
DESIGNED OCCUPANCY NU	MBER	2
ORIENTATION / VIEWS		
DAYLIGHTING		Not Required
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door c/w metal frame
WINDOW, EXTERIOR		wood door e, w metar name
WINDOW, EXTERIOR WINDOW, INTERIOR		
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		Refer to Furniture / Equipment List
INTERIOR FEATURES		
SPECIALTIES		Fold down grab bars and tilted mirror
OTHER		Tota down grap bars and threa minor
FLOORS		EP
WALLS		Paint
CEILING		GWB
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	
INTERIOR WINDOW COVER	INGS	
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST
ТҮРЕ		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		1 accessible lavatory, 1 W/C, 1 Floor Drain
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		GFI receptacles by sink
		+

N/A

COMMUNICATIONS

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.5	
BASE DESIGN ROOM NUMBER:	C010, C025, C034, C208.A, C212.B, P018, P035, P052.B, P069, P203.B, P219.B, P220.B, P234.A	
COMPONENT GROUP	BUILDING SERVICE	
AREA NAME	W/C	
OCCUPANT	UNI-SEX, B/F, AND STAFF	
CLASS CALL/INTERCOM	Via ceiling speakers	
CLOCK	N/A	
SOUND ENHANCEMENT	N/A	
SPECIALTY A/V (TV, project	rs) N/A	
DATA	N/A	
SECURITY - CARD ACCESS	N/A	
SECURITY - VIDEO SURVEILL	ANCE N/A	
SECURITY - INTRUSION		
OTHER	Electric Hand Dryer	

School Design				
ROOM DATA SHEET	ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.6			
BASE DESIGN ROOM NUMBER:	C026, C212	2.A, P220.A, P036		
COMPONENT GROUP	BUILDING	SERVICE		
AREA NAME	W/C			
OCCUPANT	UNI-SEX, S	TAFF		
FUNCTIONAL CRITERIA				
SPACE FUNCTION		Unisex W/C for staff		
PRIMARY USER		Staff		
DESIGNED OCCUPANCY NU	MRFR	1		
ORIENTATION / VIEWS	IVIDEN	-		
DAYLIGHTING		Not Required		
SPECIAL CONSIDERATIONS				
SI ECINE CONSIDERATIONS				
ARCHITECTURAL				
DOOR TYPE		Wood door c/w metal frame		
WINDOW, EXTERIOR				
WINDOW, INTERIOR				
MILLWORK		Refer to Furniture / Equipment List		
PRIVACY/SECURITY				
INTERIOR FEATURES				
SPECIALTIES		Mirror		
OTHER				
FLOORS		EP		
WALLS		Paint		
CEILING		GWB		
DOOR HARDWARE		Lockable		
EXTERIOR WINDOW COVER	RINGS			
INTERIOR WINDOW COVER	INGS			
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST		
TYPE		QT DESCRIPTION		
STRUCTURAL				
SPECIAL REQUIREMENTS				

MECHANICAL				
OTHER		1 Lavatory, 1 W/C, Floor Drain		
ELECTRICAL				
		Non dimmable lighting		
LIGHTING LIGHTING CONTROL		Non-dimmable lighting Occupancy Sensor w/ manual override switches		
POWER		GFI receptacles by sink		
COMMUNICATIONS		N/A		
COMMUNICATIONS		IV/A		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.6	
BASE DESIGN ROOM NUMBER:	C026, C212.A, P220.A, P036	
COMPONENT GROUP	BUILDING SERVICE	
AREA NAME	N/C	
OCCUPANT	JNI-SEX, STAFF	
CLASS CALL/INTERCOM	Via ceiling s	peakers
CLOCK	N/A	
SOUND ENHANCEMENT	N/A	
SPECIALTY A/V (TV, projecto	s) N/A	
DATA	N/A	
SECURITY - CARD ACCESS	N/A	
SECURITY - VIDEO SURVEILL	NCE N/A	
SECURITY - INTRUSION		
OTHER	Electric Har	d Dryer

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.7	
BASE DESIGN ROOM NUMBER:	C027, P037	
COMPONENT GROUP	BUILDING	SFRVICE
AREA NAME	SHOWER	
OCCUPANT	0.10112.11	
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Fully accessible shower room for staff
PRIMARY USER		Staff
DESIGNED OCCUPANCY NU	MRFR	1
ORIENTATION / VIEWS	ITIDEN	-
DAYLIGHTING		Not Required
SPECIAL CONSIDERATIONS		110t nequired
S. LOWE CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door c/w metal frame
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		Shower curtain and rod
OTHER		
FLOORS		EP
WALLS		Paint
CEILING		GWB
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	
INTERIOR WINDOW COVER	INGS	
FF&E REFER TO FURNITUR	E AND EQUI	
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
51 LOWE RECORDINEINIS		
MECHANICAL		
OTHER		Shower, Floor Drain
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		N/A
COMMUNICATIONS		N/A

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	B2.7
BASE DESIGN ROOM NUMBER:	C027, P037
COMPONENT GROUP	BUILDING SERVICE
AREA NAME	SHOWER
OCCUPANT	
CLASS CALL/INTERCOM	N/A
CLOCK	N/A
SOUND ENHANCEMENT	N/A
SPECIALTY A/V (TV, projector	ors) N/A
DATA	N/A
SECURITY - CARD ACCESS	N/A
SECURITY - VIDEO SURVEILL	ANCE N/A
SECURITY - INTRUSION	N/A
OTHER	Electric hand dryer.

ROOM DATA SHEET FUNCTIONAL PROGRAM ROOM NUMBER: BASE DESIGN ROOM NUMBER: COMPONENT GROUP AREA NAME OCCUPANT FUNCTIONAL CRITERIA SPACE FUNCTION PRIMARY USER DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS DAVILGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK REFETURES SPECIAL CONSIDERATIONS WALLS SPECIALES SPECIALTIES OOR WALLS SPECIALTIES OOR SPECIAL CONSIDERATIONS WALLS SPECIAL SPECIALS SPECIAL SPECIALS SPECIAL SPECIALS SPECIAL SPECIALS SPECIAL SPECIA			School Design
ROOM NUMBER: BASE DESIGN ROOM NUMBER: COMPONENT GROUP AREA NAME OCCUPANT FUNCTIONAL CRITERIA SPACE FUNCTION PRIMARY USER ORIENTATION / VIEWS DAYLIGHTING DAYLIGHTING RECYCLING Not Required ARCHITECTURAL DOOR TYPE MINDOW, EXTERIOR MINDOW, INTERIOR MINDOW, INTERIOR MINDOW, INTERIOR MINDOW, INTERIOR MINDOW, INTERIOR MINDOW, INTERIOR MINDOW, EXTERIOR MINDOW (SOUTH END WINDOW) MINDOW, EXTERIOR MINDOW, EXTERI	ROOM DATA SHEET		
NUMBER: COMPONENT GROUP AREA NAME OCCUPANT FUNCTIONAL CRITERIA SPACE FUNCTION PRIMARY USER SERIOR OCCUPANCY NUMBER ORIENTATION / VIEWS DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE HM door c/w PSF WINDOW, EXTERIOR USABLE SPECIALITIES SPECIALITIES SPECIALITIES USABLE SPECIALITIES USABLE SPECIALITIES USABLE SPECIALITIES USABLE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS I		B4.0	
AREA NAME OCCUPANT FUNCTIONAL CRITERIA SPACE FUNCTION PRIMARY USER SESION OCCUPANCY NUMBER ORIENTATION / VIEWS DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES OPHER FLOORS CONC WALLS Paint ES DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FREE REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION MECHANICAL BEHABASE EXHAUST FREE REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION MILLWORK FREE EXHAUST, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OCCUPANCY Mandin Purpose receptacles Window, Interior Purpose receptacles Recycling storage to meet LEED requirements, shared between the schools staff, admin Accupation Recycling storage to meet LEED requirements, shared between the schools staff, admin Accupation Accupation Recycling storage to meet LEED requirements, shared between the schools staff, admin Accupation Accupation Recycling storage to meet LEED requirements, shared between the schools staff, admin Accupation Accupatio		C058, P072	
AREA NAME OCCUPANT FUNCTIONAL CRITERIA SPACE FUNCTION PRIMARY USER SESION OCCUPANCY NUMBER ORIENTATION / VIEWS DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES OPHER FLOORS CONC WALLS Paint ES DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FREE REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION MECHANICAL BEHABASE EXHAUST FREE REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION MILLWORK FREE EXHAUST, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OCCUPANCY Mandin Purpose receptacles Window, Interior Purpose receptacles Recycling storage to meet LEED requirements, shared between the schools staff, admin Accupation Recycling storage to meet LEED requirements, shared between the schools staff, admin Accupation Accupation Recycling storage to meet LEED requirements, shared between the schools staff, admin Accupation Accupation Recycling storage to meet LEED requirements, shared between the schools staff, admin Accupation Accupatio	COMPONENT GROUP	BUILDING 9	SERVICE
FUNCTIONAL CRITERIA SPACE FUNCTION PRIMARY USER STAGE FUNCTION PRIMARY USER STAGE FUNCTION PRIMARY USER PESIONED OCCUPANCY NUMBER ACKITICATION / VIEWS DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE WINDOW, EXTERIOR WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES Wall protection OTHER FLOORS CONC WALLS Paint CELLING ES DOOR HARDWARE LOckable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS			
FUNCTIONAL CRITERIA SPACE FUNCTION Recycling storage to meet LEED requirements, shared between the schools staff, admin DESIGNED OCCUPANCY NUMBER 4 ORIENTATION / VIEWS DAYLIGHTING DAYLIGHTING ARCHITECTURAL DOORR TYPE WINDOW, EXTERIOR WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES WALLS PAINT CEILING ES DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL DTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING (CONTROL) OCCUPANCY Manual override switches OCONCHINGS CONCHINGS		11201021110	
SPACE FUNCTION Recycling storage to meet LEED requirements, shared between the schools PRIMARY USER Staff, admin DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS DAYLIGHTING Not Required SPECIAL CONSIDERATIONS ARCHITECTURAL DOR TYPE HM door c/w PSF WINDOW, EXTERIOR WINDOW, EXTERIOR WILLWORK Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES Wall protection OTHER FLOORS CONC WALLS Paint CEILING ES DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FFRE REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL Occupancy Sensor w/ manual override switches POWER General purpose receptacles			
PRIMARY USER DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE HM door c/w PSF WINDOW, EXTERIOR WINDOW, EXTERIOR MILLWORK Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTES Wall protection OTHER FLOORS CONC WALLS Paint CEILING ES DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL TES FREE REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL UIGHTING Non-dimmable lighting LIGHTING CONTROL OCCUPANCY Manual override switches POWER General purpose receptacles			Pocueling storage to most LEED requirements, shared between the schools
DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE HM door c/w PSF WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK REfer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES Wall protection OTHER FLOORS CONC WALLS Paint CEILING ES DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL THER EXHAUS BAILS BESCIAL REQUIREMENTS MECHANICAL LIGHTING OCCUPANCY SENSOR OND MALIS BESCIAL REQUIREMENTS ELECTRICAL LIGHTING OCCUPANCY SENSOR OND MALIS BESCIAL REQUIREMENTS ELECTRICAL LIGHTING OCCUPANCY SENSOR OND MONTH SINCH OCCUPANCY MONTH			
ORIENTATION / VIEWS DAYLIGHTING Not Required SPECIAL CONSIDERATIONS ARCHITECTURAL DOR TYPE HM door c/w PSF WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES Wall protection OTHER FLOORS CONC WALLS Paint CEILING ES DOOR HARDWARE LOckable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OCCUpancy Sensor w/ manual override switches POWER General purpose receptacles		MDED	·
DAYLIGHTING Not Required SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE HM door c/w PSF WINDOW, EXTERIOR WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES Wall protection OTHER FLOORS CONC WALLS Paint CEILING ES DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL Occupancy Sensor w/ manual override switches POWER General purpose receptacles		IVIDLIX	4
SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES Wall protection OTHER FLOORS CONC WALLS Paint CEILING ES DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CCUpancy Sensor w/ manual override switches POWER General purpose receptacles			Not Required
ARCHITECTURAL DOOR TYPE			Not nequired
DOOR TYPE HM door c/w PSF WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES Wall protection OTHER FLOORS CONC WALLS Paint CEILING ES DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OCCUPANCY SENSOR W/ manual override switches POWER General purpose receptacles	21 LCIAL CONSIDERATIONS		
DOOR TYPE HM door c/w PSF WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES Wall protection OTHER FLOORS CONC WALLS Paint CEILING ES DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OCCUPANCY SENSOR W/ manual override switches POWER General purpose receptacles	ARCHITECTURAL		
WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES Wall protection OTHER FLOORS CONC WALLS Paint CEILING ES DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER EXHAUST, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING OCCUPANCY SENSOR W/ manual override switches POWER General purpose receptacles			HM door c/w PSF
WINDOW, INTERIOR MILLWORK Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES OTHER FLOORS CONC WALLS Paint CEILING ES DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER EXHAUST, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING LIGHTING COCupancy Sensor w/ manual override switches POWER General purpose receptacles			11111 4001 0, 11 31
MILLWORK Refer to Furniture / Equipment List PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES OTHER FLOORS CONC WALLS Paint CEILING ES DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS SPECIAL REQUIREMENTS MECHANICAL OTHER EXHAUST, Large laundry sink LIGHTING LIGHTING Non-dimmable lighting LIGHTING LIGHTING Occupancy Sensor w/ manual override switches POWER General purpose receptacles			
PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES Wall protection OTHER FLOORS CONC WALLS Paint CEILING ES DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING OCCUPANCY Sensor w/ manual override switches POWER General purpose receptacles	*		Refer to Furniture / Fauinment List
INTERIOR FEATURES SPECIALTIES Wall protection OTHER FLOORS CONC WALLS Paint CEILING ES DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL Occupancy Sensor w/ manual override switches POWER General purpose receptacles			Refer to Furniture / Equipment List
SPECIALTIES OTHER FLOORS CONC WALLS Paint CEILING ES DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL Occupancy Sensor w/ manual override switches POWER General purpose receptacles			
OTHER FLOORS CONC WALLS Paint CEILING ES DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Exhaust, Large laundry sink LIGHTING Non-dimmable lighting LIGHTING Occupancy Sensor w/ manual override switches POWER General purpose receptacles			Wall protection
FLOORS CONC WALLS Paint CEILING ES DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL OCCUPANCY Sensor w/ manual override switches POWER General purpose receptacles			waii protection
WALLS Paint CEILING ES DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL Occupancy Sensor w/ manual override switches POWER General purpose receptacles			CONC
CEILING ES DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL Occupancy Sensor w/ manual override switches POWER General purpose receptacles			
DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL Occupancy Sensor w/ manual override switches POWER General purpose receptacles			
EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL Occupancy Sensor w/ manual override switches POWER General purpose receptacles			-
INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL Occupancy Sensor w/ manual override switches POWER General purpose receptacles		RINGS	Lockdoic
FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL Occupancy Sensor w/ manual override switches POWER General purpose receptacles			
TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL Occupancy Sensor w/ manual override switches POWER General purpose receptacles	THE THE TENE		
TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL Occupancy Sensor w/ manual override switches POWER General purpose receptacles	FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST
STRUCTURAL SPECIAL REQUIREMENTS MECHANICAL OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL Occupancy Sensor w/ manual override switches POWER General purpose receptacles			
MECHANICAL OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL Occupancy Sensor w/ manual override switches POWER General purpose receptacles			
MECHANICAL OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL Occupancy Sensor w/ manual override switches POWER General purpose receptacles	STRUCTURAL		
MECHANICAL OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL Occupancy Sensor w/ manual override switches POWER General purpose receptacles	SPECIAL REQUIREMENTS		
OTHER Exhaust, Large laundry sink ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL Occupancy Sensor w/ manual override switches POWER General purpose receptacles	·		
ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL Occupancy Sensor w/ manual override switches POWER General purpose receptacles	MECHANICAL		
ELECTRICAL LIGHTING Non-dimmable lighting LIGHTING CONTROL Occupancy Sensor w/ manual override switches POWER General purpose receptacles	OTHER		Exhaust, Large laundry sink
LIGHTING Non-dimmable lighting LIGHTING CONTROL Occupancy Sensor w/ manual override switches POWER General purpose receptacles			, 5 ,
LIGHTING CONTROL Occupancy Sensor w/ manual override switches POWER General purpose receptacles	ELECTRICAL		
LIGHTING CONTROL Occupancy Sensor w/ manual override switches POWER General purpose receptacles	LIGHTING		Non-dimmable lighting
POWER General purpose receptacles			
·			, ,
	COMMUNICATIONS		· · ·

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B4.0	
BASE DESIGN ROOM NUMBER:	C058, P072	
COMPONENT GROUP	BUILDING SERVICE	
AREA NAME	RECYCLING	
OCCUPANT		
CLASS CALL/INTERCOM	N/A	
CLOCK	N/A	
SOUND ENHANCEMENT	N/A	
SPECIALTY A/V (TV, projector	rs) N/A	
DATA	N/A	
SECURITY - CARD ACCESS	N/A	
SECURITY - VIDEO SURVEILL	ANCE N/A	
SECURITY - INTRUSION	N/A	
OTHER		

		School Design
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B5.0	
BASE DESIGN ROOM NUMBER:	C007, C044	4, C202, P017, P051, P058, P204, P235, P242
COMPONENT GROUP	JANITOR	
AREA NAME	JAN.	
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Janitors supplies storage
PRIMARY USER		staff, admin
DESIGNED OCCUPANCY NU	MARED	1
ORIENTATION / VIEWS	IVIDEN	1
DAYLIGHTING		Not Beguired
SPECIAL CONSIDERATIONS		Not Required
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		HM door c/w PSF
WINDOW, EXTERIOR		
WINDOW, EXTERIOR		
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		Refer to Furniture / Equipment List
INTERIOR FEATURES		
SPECIALTIES		Man will at sink langtions, wall protection
		Mop rail at sink locations, wall protection
OTHER		COMP
FLOORS		CONC Conversio Tile (Paint
WALLS		Ceramic Tile/Paint ES
CEILING		-
DOOR HARDWARE EXTERIOR WINDOW COVER	NN CC	Lockable
INTERIOR WINDOW COVER	INGS	
FFO F DEFEN TO ELIPSTICATE	E AND EQUI	
FF&E REFER TO FURNITUR	E AND EQUI	
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
51 LCITTE INEQUINEIVIENTS		
MECHANICAL		<u></u>
		Exhaust Man sink s/w SS wall protection s/w upper facest floor drain
OTHER		Exhaust, Mop sink c/w SS wall protection, c/w upper faucet, floor drain
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		Gen Purpose in room, GFI duplex recep.
COMMUNICATIONS		
COMMUNICATIONS		N/A

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B5.0	
BASE DESIGN ROOM NUMBER:	C007, C044, C202, P017, P051, P058, P204, P235, P242	
COMPONENT GROUP	JANITOR	
AREA NAME	JAN.	
OCCUPANT		
CLASS CALL/INTERCOM		N/A
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, project	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

		School Design
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B8.1	
BASE DESIGN ROOM NUMBER:	C049, P062	
COMPONENT GROUP	ADMINIST	RATION
AREA NAME	OFFICE	
OCCUPANT	GYM	
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Physical Education Teacher office
PRIMARY USER		gym teacher, staff, admin
DESIGNED OCCUPANCY NU	MBER	3
ORIENTATION / VIEWS		View to 2 gyms
DAYLIGHTING		Not Required
SPECIAL CONSIDERATIONS		Provide doors to side and central gyms
		<u> </u>
ARCHITECTURAL		
DOOR TYPE		Wood door with sidelite c/w metal frame
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		1 @ 1200x1200 whiteboard and 1 @ 1200x1200 tack board
OTHER		
FLOORS		RSF
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	INGS	
INTERIOR WINDOW COVER	INGS	Yes
FF&E REFER TO FURNITUR	E AND EQUII	PMENT LIST
ТҮРЕ		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		-
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		Work station receptacles, general purpose receptacles
COMMUNICATIONS		2 data at work station + 1 VOIP phone

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B8.1	
BASE DESIGN ROOM NUMBER:	C049, P062	
COMPONENT GROUP	ADMINISTRATION	
AREA NAME	OFFICE	
OCCUPANT	GYM	
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, projectors)		No
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

POOM DATA SUSST		
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	B8.2	
BASE DESIGN ROOM NUMBER:	C050, P063	3
COMPONENT GROUP	PHYSICAL	ACTIVITY
AREA NAME	GYM STOR	R.
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Gym equipment storage for indoor & outdoor Phys Ed program. Performance storage. Shared space for the PSSD, GSCS and the Community Users
PRIMARY USER		gym teacher, staff, admin
DESIGNED OCCUPANCY NU	MBER	6
ORIENTATION / VIEWS		
DAYLIGHTING		Not Required
SPECIAL CONSIDERATIONS		8 sockets in floor for volleyball/badminton stanchions. Storage room is required to accommodate gas powered snow blower and lawnmower equipment.
ARCHITECTURAL		
DOOR TYPE		HM door c/w PSF
WINDOW, EXTERIOR		
WINDOW, INTERIOR		Defends Symithms / Syminms and List
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES SPECIALTIES		Considerable storage for each coldivision
OTHER		Caged lockable storage for each school division Provide double doors to 2 gyms. Provide 2 lockable cages as well as open area for equipment storage.
FLOORS		CONC
WALLS		Paint
CEILING		ES
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER		
INTERIOR WINDOW COVER	INGS	
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		Exhaust, floor drain c/w interceptor
ELECTRICAL		

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	B8.2
BASE DESIGN ROOM NUMBER:	C050, P063
COMPONENT GROUP	PHYSICAL ACTIVITY
AREA NAME	GYM STOR.
OCCUPANT	

·	
LIGHTING	Non-dimmable lighting
LIGHTING CONTROL	Occupancy Sensor w/ manual override switches
POWER	General purpose receptacles
COMMUNICATIONS	N/A
CLASS CALL/INTERCOM	Via ceiling speakers
CLOCK	No
SOUND ENHANCEMENT	N/A
SPECIALTY A/V (TV, projectors)	N/A
DATA	N/A
SECURITY - CARD ACCESS	N/A
SECURITY - VIDEO SURVEILLANCE	N/A
SECURITY - INTRUSION	N/A
OTHER	gym audio system equipment rack (1 per school); gym audio system mobile equipment rack (1 per school); fire alarm horn strobe

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	С3	
BASE DESIGN ROOM NUMBER:	P016, P049	9
COMPONENT GROUP	CIRCULATI	ON
AREA NAME	BOOT ROC	
OCCUPANT		<u> </u>
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Student Entrance
PRIMARY USER		Students, staff
DESIGNED OCCUPANCY NU	MRFR	0
ORIENTATION / VIEWS	IVIDEIX	To corridor and entry vestibule
DAYLIGHTING		Desirable
SPECIAL CONSIDERATIONS		Destruction
SI LCIAL CONSIDENATIONS		
ARCHITECTURAL		
DOOR TYPE		Aluminum/glass entry door, aluminum frame
WINDOW, EXTERIOR		Yes
WINDOW, INTERIOR		Yes
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		1200mm wide metal boot shelving on side walls. Only provide shelving along one wall for the main entry vestibule. Boot racks are to be 4 shelves high and attached to walls.
OTHER		
FLOORS		RSF
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		
EXTERIOR WINDOW COVER	RINGS	
INTERIOR WINDOW COVER	INGS	
FF&E REFER TO FURNITUR	E AND EQUI	IPMENT LIST
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		-
- · · - · ·		
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		Occupancy Sensor w/ non-switched night lighting

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	С3	
BASE DESIGN ROOM NUMBER:	P016, P049	
COMPONENT GROUP	CIRCULATI	ON
AREA NAME	BOOT ROO	DM .
OCCUPANT		
POWER		General purpose receptacles
COMMUNICATIONS		N/A
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projectors)		N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		Cameras at exterior doors + in boot room
SECURITY - INTRUSION		Door contacts at all exterior doors.
OTHER		

ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	C4		
BASE DESIGN ROOM NUMBER:	C001,C041	C001,C041, C043.A, P001, P050	
COMPONENT GROUP	CIRCULAT	ION	
AREA NAME	VESTIBULI		
OCCUPANT	723115621	-	
FUNCTIONAL CRITERIA			
SPACE FUNCTION		Charles to the carrier	
PRIMARY USER	NADED	Students, staff, public	
DESIGNED OCCUPANCY NU	INIREK	O To the coutdoor play/advention areas at rest	
ORIENTATION / VIEWS DAYLIGHTING		To the outdoor play/education areas, street	
SPECIAL CONSIDERATIONS		Direct	
SPECIAL CONSIDERATIONS			
ARCHITECTURAL			
DOOR TYPE		Aluminum/glass entry door, aluminum frame	
WINDOW, EXTERIOR		Yes	
WINDOW, INTERIOR		Yes	
MILLWORK		Refer to Furniture / Equipment List	
PRIVACY/SECURITY			
INTERIOR FEATURES			
SPECIALTIES		Boot shelving on 2 side walls, 4 shelves high attached to walls	
OTHER			
FLOORS		RSF c/w Recessed Entry matt	
WALLS		Paint	
CEILING		ACT or ES	
DOOR HARDWARE		Lockable	
EXTERIOR WINDOW COVER	RINGS		
INTERIOR WINDOW COVER	INGS		
FF&E REFER TO FURNITUR	E AND FOLL	IPMENT LIST	
TYPE		QT DESCRIPTION	
1112		Q1 DESCRIPTION	
STRUCTURAL			
SPECIAL REQUIREMENTS			
MECHANICAL			
OTHER		-	
ELECTRICAL			
LIGHTING		Non-dimmable lighting	
LIGHTING CONTROL		Occupancy Sensor w/ non-switched night lighting	
POWER		General purpose receptacles	
COMMUNICATIONS		N/A	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	C4	
BASE DESIGN ROOM NUMBER:	C001,C041, C043.A, P001, P050	
COMPONENT GROUP	CIRCULATION	
AREA NAME	VESTIBULE	
OCCUPANT		
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, project	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		Card Access on exterior door
SECURITY - VIDEO SURVEILLANCE		Cameras at exterior doors + in vestibule
SECURITY - INTRUSION		Door contact at all exterior doors.
OTHER		fire alarm annunciator (main entrance), handicapped automatic push button

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G1.1	
BASE DESIGN ROOM NUMBER:	C036, C037, C038, C039, C204, C205, C206, C207, P044, P045, P047, P048, P205, P206, P208, P214, P215, P216, P227, P228, P236, P237	
COMPONENT GROUP	GENERAL I	NSTRUCTION
AREA NAME	LEARNING	SPACE
OCCUPANT	GRADE 2-8	}
FUNCTIONAL CRITERIA		
SPACE FUNCTION		General instructional space
PRIMARY USER		Students, teachers
DESIGNED OCCUPANCY NU	MBER	0
ORIENTATION / VIEWS		Views to exterior
DAYLIGHTING		Direct
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door with sidelite c/w metal frame. Sliding barn door c/w glass panels
WINDOW, EXTERIOR		Yes
WINDOW, INTERIOR		Yes
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		2 @ 1200x1200 Tack board and 2 @ 1200x2400 white board
OTHER		
FLOORS		RSF
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	Yes
INTERIOR WINDOW COVER	INGS	Yes
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		Column Free
MECHANICAL		
OTHER		1 Sink(s)
ELECTRICAL		
LIGHTING		Dimmable lighting
LIGHTING CONTROL		Occupancy Sensor and daylight sensor controlled w/ manual dimmer override and separate whiteboard fixture control at front, on/off control at room entrance

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G1.1	
BASE DESIGN ROOM NUMBER:	C036, C037, C038, C039, C204, C205, C206, C207, P044, P045, P047, P048, P205, P206, P208, P214, P215, P216, P227, P228, P236, P237	
COMPONENT GROUP	GENERAL II	NSTRUCTION
AREA NAME	LEARNING	SPACE
OCCUPANT	GRADE 2-8	
POWER		Work station receptacles, general purpose receptacles, projector receptacle, GFI receptacles above counter receptacle for sink.
COMMUNICATIONS		2 data at work station+ 1 VOIP phone, 1 projector (on all walls). Provide data and power above millwork.
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		Yes
SPECIALTY A/V (TV, projectors)		Wall/ceiling projector and smart board.
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		
OTHER		projector

		School Design
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G1.2	
BASE DESIGN ROOM	C012, C014	4, P011, P013, P020, P023
NUMBER:		
COMPONENT GROUP	GENERAL	INSTRUCTION
AREA NAME	LEARNING	
OCCUPANT	KTGN, GR	ADE 1
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Kindergarten and Grade 1 instructional space
PRIMARY USER		Students, teachers
DESIGNED OCCUPANCY NU	IMBER	0
ORIENTATION / VIEWS		Views to exterior
DAYLIGHTING SPECIAL CONSIDERATIONS		Direct
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door with sidelite c/w metal frame. Sliding barn door c/w glass panels
WINDOW, EXTERIOR		Yes
WINDOW, INTERIOR		Yes
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		2 @ 1200x1200 Tack board and 2 @ 1200x2400 white board
OTHER		
FLOORS		RSF
WALLS CEILING		Paint ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	Yes
INTERIOR WINDOW COVER		Yes
FF&E REFER TO FURNITUR	E AND EQU	
ТҮРЕ		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		Column Free
MECHANICAL		
OTHER		2 Sinks, floor drain near sink
ELECTRICAL		
LIGHTING		Dimmable lighting
LIGHTING CONTROL		Occupancy Sensor and daylight sensor controlled w/ manual dimmer override and separate whiteboard fixture control at front, on/off control at room entrance.

at room entrance

ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	G1.2		
BASE DESIGN ROOM NUMBER:	C012, C014	C012, C014, P011, P013, P020, P023	
COMPONENT GROUP	GENERAL I	NSTRUCTION	
AREA NAME	LEARNING	SPACE	
OCCUPANT	KTGN, GRA	DE 1	
POWER		Work station receptacles, general purpose receptacles, projector receptacle, GFI receptacles above counter receptacle for sink.	
COMMUNICATIONS		2 data at work station+ 1 VOIP phone, 1 projector (on all walls). Provide data and power above millwork.	
CLASS CALL/INTERCOM		Via phone and ceiling speakers	
CLOCK		Yes	
SOUND ENHANCEMENT		Yes	
SPECIALTY A/V (TV, projectors)		Wall/ceiling projector and smart board.	
DATA		WAP	
SECURITY - CARD ACCESS		N/A	
SECURITY - VIDEO SURVEILLANCE		N/A	
SECURITY - INTRUSION			
OTHER		projector	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.12	
BASE DESIGN ROOM NUMBER:	P029	
COMPONENT GROUP	INSTRUCTI	ONAL SUPPORT
AREA NAME	SERT WOR	
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Student Services - open area for general instruction, group work and life skills
3.7.62.1 3.161.161.1		program
PRIMARY USER		Students, Student Services staff
DESIGNED OCCUPANCY NU	MBER	10
ORIENTATION / VIEWS		Views to exterior
DAYLIGHTING		Direct
SPECIAL CONSIDERATIONS		Open flexible space
ARCHITECTURAL		
DOOR TYPE		Wood door with sidelite c/w metal frame
WINDOW, EXTERIOR		Yes
WINDOW, INTERIOR		Yes
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		2 @ 1200x1200 Tack board and 1@ 1200x2400 white board. XY Lift
OTHER		
FLOORS		RSF
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	Yes
INTERIOR WINDOW COVER	INGS	Yes
FF&E REFER TO FURNITUR	E AND EQUI	
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		Support for XY lift
MECHANICAL		
OTHER		1 Sink(s)
ELECTRICAL		
LIGHTING		Dimmable lighting
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		Work station receptacles, general purpose receptacles

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.12	
BASE DESIGN ROOM NUMBER:	P029	
COMPONENT GROUP	INSTRUCTI	ONAL SUPPORT
AREA NAME	SERT WOR	K AREA
OCCUPANT		
COMMUNICATIONS		2 data at work station + data at wall phone
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, projectors)		No
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.13	
BASE DESIGN ROOM NUMBER:	P025, P026	5, P213
COMPONENT GROUP	INSTRUCTI	ONAL SUPPORT
AREA NAME	SERT OFFIC	
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Office for SERT staff or other Student Services Staff
PRIMARY USER		Admin staff, teachers
DESIGNED OCCUPANCY NU	MRFR	3
ORIENTATION / VIEWS		Therapy room and corridor
DAYLIGHTING		Borrowed Desirable
SPECIAL CONSIDERATIONS		DOTTOWED DESITABLE
S. LOWE CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door with sidelite c/w metal frame
WINDOW, EXTERIOR		Yes
WINDOW, INTERIOR		Yes
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		1 @ 1200x1200 whiteboard and 1 @ 1200x1200 tack board
OTHER		
FLOORS		СТ
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	Yes
INTERIOR WINDOW COVER	INGS	Yes
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST
ТҮРЕ		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
SI LCIAL ILQUINLIVILIVIS		
MECHANICAL		
OTHER		-
FLECTRICAL		
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		Work station receptacles, general purpose receptacles
COMMUNICATIONS		2 data at work station + 1 VOIP phone

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.13	
BASE DESIGN ROOM NUMBER:	P025, P026,	P213
COMPONENT GROUP	INSTRUCTIO	NAL SUPPORT
AREA NAME	SERT OFFICE	
OCCUPANT		
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, projectors)		No
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.15	
BASE DESIGN ROOM NUMBER:	C045, P071	
COMPONENT GROUP	BUILDING	SERVICE
AREA NAME	LAUNDRY/	STORAGE
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		General laundry room
PRIMARY USER		Students, Student Services staff, staff
DESIGNED OCCUPANCY NU	IMRFR	2
ORIENTATION / VIEWS	TVIDEIT	
DAYLIGHTING		Not Required
SPECIAL CONSIDERATIONS		Not hequiled
3. 20% & 30M3/DENVITIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door with sidelite c/w metal frame
WINDOW, EXTERIOR		,
WINDOW, INTERIOR		
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		2 2 2 2 2 2 2 4 4 4 2 2 2 2
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		RSF
WALLS		Paint
CEILING		GWB
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	
INTERIOR WINDOW COVER	INGS	Yes
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		Ventilation for Dryer, Connection For Washing Machine, Floor Drain, deep single basin sink
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		General purpose receptacles

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.15	
BASE DESIGN ROOM NUMBER:	C045, P071	
COMPONENT GROUP	BUILDING SE	RVICE
AREA NAME	LAUNDRY/ST	TORAGE
OCCUPANT		
COMMUNICATIONS		None
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, projectors)		No
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		connection for washer and dryer

		School Design
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.17	
BASE DESIGN ROOM NUMBER:	C223, P239	
COMPONENT GROUP	BUILDING S	SERVICE
AREA NAME	IT CLOSET	
OCCUPANT	020021	
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Communications room
PRIMARY USER		School division staff
DESIGNED OCCUPANCY NU	MDED	1
ORIENTATION / VIEWS	IVIDEN	1
DAYLIGHTING		Not Required
SPECIAL CONSIDERATIONS		NOT NEQUITED
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		HM door c/w PSF frame
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		nere to runnical e / Equipment Else
INTERIOR FEATURES		
SPECIALTIES		
OTHER		backing within walls for wall mounted equip
FLOORS		RSF
WALLS		Paint
CEILING		ES
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	INGS	Lockdoic
INTERIOR WINDOW COVER		
INTERIOR WINDOW COVER		
FF&E REFER TO FURNITUR	E AND EQUIF	PMENT LIST
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		low ambient cooling
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		Provide a minimum of 5-20A receptacles/circuits, 1-30A twist lock receptacle for UPS

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.17	
BASE DESIGN ROOM NUMBER:	C223, P239	
COMPONENT GROUP	BUILDING S	SERVICE
AREA NAME	IT CLOSET	
OCCUPANT		
COMMUNICATIONS		Provide cabletray into room.
		Provide conduit raceway to IT room above.
CLASS CALL/INTERCOM		N/A
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projectors)		N/A
DATA		Provide incoming Single Mode Fiber from main incoming,
		Provide Single Mode Fiber between school network closets, multi-pair analog voice cable from main incoming demarc
SECURITY - CARD ACCESS		Card access equipment to be located in this room
SECURITY - VIDEO SURVEILLANCE		Video surveillance equipment to be located in this room
SECURITY - INTRUSION		
OTHER		Provide raceway to: main telephone room, public IT room. Data equipment rack, A/C unit

		School Design
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.19	
BASE DESIGN ROOM NUMBER:	C007.B, C	032.B, C213.B, P012.B, P044.B, P224.B, P207.B
COMPONENT GROUP	INSTRUCT	TIONAL SUPPORT
AREA NAME	IT STORAG	GE
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Charging area for laptop carts, close to learing community
PRIMARY USER		Students, teachers, administration staff
DESIGNED OCCUPANCY NU	MBER	0
ORIENTATION / VIEWS		
DAYLIGHTING		Not Required
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Double leaf HM/metal frame
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		RSF
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER		
INTERIOR WINDOW COVER	INGS	
FF&E REFER TO FURNITUR	E AND EQU	
ТҮРЕ		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		low ambient cooling. Exhaust
VITIEN		low ambient cooling, Exhaust
ELECTRICAL		
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		Provide a minimum of 5-20A receptacles/circuits at counter height
COMMUNICATIONS		Provide cabletray into room.
		•

ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.19	G2.19	
BASE DESIGN ROOM NUMBER:	C007.B, C032.B, C213.B, P012.B, P044.B, P224.B, P207.B		
COMPONENT GROUP	INSTRUCTIONAL SUPPORT		
AREA NAME	IT STORAG	E	
OCCUPANT			
		Provide conduit raceway to IT room above.	
CLASS CALL/INTERCOM		N/A	
CLOCK		N/A	
SOUND ENHANCEMENT		N/A	
SPECIALTY A/V (TV, projector	ors)	N/A	
DATA		Provide incoming Single Mode Fiber from main incoming,	
		Provide Single Mode Fiber between school network closets, multi-pair analog	
		voice cable from main incoming demarc	
SECURITY - CARD ACCESS		Yes	
SECURITY - VIDEO SURVEILLANCE		N/A	
SECURITY - INTRUSION		N/A	
OTHER		Data equipment rack, A/C unit	

		School Design	
ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.2		
BASE DESIGN ROOM NUMBER:	C013, C214	C013, C214.A, P012, P022, P211, P229	
COMPONENT GROUP	INSTRUCT	IONAL SUPPORT	
AREA NAME	BREAK OU		
OCCUPANT		·	
FUNCTIONAL CRITERIA			
SPACE FUNCTION		A small group room for general use and to be used as a break-out space and a wet/messy area	
PRIMARY USER		Students, teachers	
DESIGNED OCCUPANCY NU	IMBER	0	
ORIENTATION / VIEWS		Views to exterior if possible	
DAYLIGHTING		Desirable	
SPECIAL CONSIDERATIONS			
ARCHITECTURAL			
DOOR TYPE		Wood door with sidelite c/w metal frame. Sliding barn door c/w glass panels	
WINDOW, EXTERIOR		Yes	
WINDOW, INTERIOR		Yes	
MILLWORK		Refer to Furniture / Equipment List	
PRIVACY/SECURITY			
INTERIOR FEATURES			
SPECIALTIES		1 @ 1200x1200 whiteboard and 1 @ 1200x1200 tack board. Wall mounted flat screen monitor.	
OTHER			
FLOORS		RSF	
WALLS		Paint	
CEILING		ACT	
DOOR HARDWARE		Lockable	
EXTERIOR WINDOW COVER	RINGS	Yes	
INTERIOR WINDOW COVER	INGS	Yes	
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST	
TYPE		QT DESCRIPTION	
STRUCTURAL			
SPECIAL REQUIREMENTS			
MECHANICAL			
OTHER		Vent in C210 for Ceremony Room. Sinks; 2 sinks in C013 (Adult/Child height); 2 sinks in C203	
ELECTRICAL			
LIGHTING		Non-dimmable lighting	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.2	
BASE DESIGN ROOM NUMBER:	C013, C214.A, P012, P022, P211, P229	
COMPONENT GROUP	INSTRUCTI	ONAL SUPPORT
AREA NAME	BREAK OU	Т
OCCUPANT		
LIGHTING CONTROL	-	Occupancy Sensor w/ manual override switches
POWER		Work station receptacles, general purpose receptacles
COMMUNICATIONS		2 data
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projectors)		Wall mounted flat screen monitor
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

		School Design	
ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.21		
BASE DESIGN ROOM NUMBER:	C015		
COMPONENT GROUP	INSTRUCTI	ONAL SUPPORT	
AREA NAME	LAT		
OCCUPANT			
FUNCTIONAL CRITERIA			
SPACE FUNCTION		Area for group activities and one on one therapy	
PRIMARY USER		Students, teachers	
DESIGNED OCCUPANCY NU	MADED	0	
ORIENTATION / VIEWS	IVIDEN		
DAYLIGHTING		Direct	
SPECIAL CONSIDERATIONS		Direct	
SPECIAL CONSIDERATIONS			
ARCHITECTURAL			
DOOR TYPE		Wood door with sidelite c/w metal frame	
WINDOW, EXTERIOR		Yes	
WINDOW, INTERIOR		Yes	
MILLWORK		Refer to Furniture / Equipment List	
PRIVACY/SECURITY		Neter to Furniture / Equipment List	
INTERIOR FEATURES			
SPECIALTIES		XY Lift , folding wall	
OTHER		AT LITE, TOTALING WAIT	
FLOORS		RSF	
WALLS		Paint	
CEILING		ACT	
DOOR HARDWARE		Lockable	
EXTERIOR WINDOW COVER	NINGS	Yes	
INTERIOR WINDOW COVER		Yes	
INTERIOR WINDOW COVER		163	
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST	
TYPE	•	QT DESCRIPTION	
STRUCTURAL			
SPECIAL REQUIREMENTS		Support for XY lift and folding wall	
MECHANICAL			
OTHER			
ELECTRICAL			
LIGHTING		Non-dimmable lighting	
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches	
POWER		Work station receptacles, general purpose receptacles	
COMMUNICATIONS		2 data at work station + 1 VOIP phone	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.21	
BASE DESIGN ROOM NUMBER:	C015	
COMPONENT GROUP	INSTRUCTIONAL SUPPORT	
AREA NAME	LAT	
OCCUPANT		
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, projectors)		No
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

· ·				
ROOM DATA SHEET	ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.22			
BASE DESIGN ROOM NUMBER:	P028			
COMPONENT GROUP	INSTRUCTI	ONAL SUPPORT		
AREA NAME	THERAPY F			
OCCUPANT	IIILIAFII	СОТИ		
FUNCTIONAL CRITERIA				
SPACE FUNCTION		Area for one on one therapy and transfer of equipment		
PRIMARY USER		Students, Student Services Staff		
DESIGNED OCCUPANCY NU	IMBER	0		
ORIENTATION / VIEWS				
DAYLIGHTING		Direct		
SPECIAL CONSIDERATIONS				
ADCIUTECTUDAL				
ARCHITECTURAL		March days 96 (dalga et al. 16)		
DOOR TYPE		Wood door with sidelite c/w metal frame		
WINDOW, EXTERIOR				
WINDOW, INTERIOR		Yes		
MILLWORK		Refer to Furniture / Equipment List		
PRIVACY/SECURITY				
INTERIOR FEATURES				
SPECIALTIES				
OTHER				
FLOORS		RSF		
WALLS		Paint		
CEILING		ACT		
DOOR HARDWARE		Lockable		
EXTERIOR WINDOW COVER	RINGS			
INTERIOR WINDOW COVER	INGS	Yes		
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST		
TYPE		QT DESCRIPTION		
STRUCTURAL				
SPECIAL REQUIREMENTS				
MECHANICAL				
OTHER		sink		
OTTILIN		JIIIG		
ELECTRICAL				
LIGHTING		Non-dimmable lighting		
		Occupancy Sensor w/ manual override switches		
POWER	Work station receptacles, general purpose receptacles			
COMMUNICATIONS	2 data at work station + 1 VOIP phone			
	2 data at work station + 1 VOIP phone			

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.22	
BASE DESIGN ROOM NUMBER:	P028	
COMPONENT GROUP	INSTRUCTIONAL SUPPORT	
AREA NAME	THERAPY ROOM	
OCCUPANT		
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, projectors)		Wall mounted flat screen monitor
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

		School Design		
ROOM DATA SHEET				
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.24			
BASE DESIGN ROOM NUMBER:	C028, C209, P040, P221, P221.A			
COMPONENT GROUP	INSTRUCTION	INSTRUCTIONAL SUPPORT		
AREA NAME	STUDENT C			
OCCUPANT	JIODEIII C			
FUNCTIONAL CRITERIA				
SPACE FUNCTION		Shared instructional space used for project based learning, large group activities and presentations. To be divisible for various simultaneous group activities		
PRIMARY USER		Students, teachers, external staff		
DESIGNED OCCUPANCY NU	MBER	0		
ORIENTATION / VIEWS		Views to exterior if possible		
DAYLIGHTING		Direct/Borrowed		
SPECIAL CONSIDERATIONS				
ARCHITECTURAL				
DOOR TYPE		Wood door with sidelite c/w metal frame. Sliding barn door c/w glass panels		
WINDOW, EXTERIOR		Yes		
WINDOW, INTERIOR		Yes		
MILLWORK		Refer to Furniture / Equipment List		
PRIVACY/SECURITY				
INTERIOR FEATURES				
SPECIALTIES		Wall mounted flat screen monitor		
OTHER				
FLOORS		RSF		
WALLS		Paint		
CEILING		ACT		
DOOR HARDWARE		Lockable		
EXTERIOR WINDOW COVER		Yes		
INTERIOR WINDOW COVER	INGS	Yes		
	E AND ESTA	DA AFAIT LIGT		
FF&E REFER TO FURNITURE AND EQUIPMENT LIST				
TYPE		QT DESCRIPTION		
STRUCTURAL				
SPECIAL REQUIREMENTS				
MECHANICAL	ı			
OTHER		-		
ELECTRICAL				
LIGHTING		Dimmable lighting		
LIGHTING CONTROL		Occupancy sensor providing multiple zones, daylight sensor		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.24	
BASE DESIGN ROOM NUMBER:	C028, C209, P040, P221, P221.A	
COMPONENT GROUP	INSTRUCTIO	DNAL SUPPORT
AREA NAME	STUDENT COMMONS	
OCCUPANT	т	
POWER		General purpose receptacles, 1 receptacle per 2 charge stations; Re-charging stations for technology
COMMUNICATIONS		N/A
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projectors)		Wall mounted flat screen monitor
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		Provide door contact at all exterior doors.
OTHER		blank outlet c/w 1" conduit, O/H Data + duplex

FUNCTIONAL PROGRAM ROOM NUMBER: BASE DESIGN ROOM NUMBER: COMPONENT GROUP INSTRUCTIONAL SUPPORT	
ROOM NUMBER: G2.4 BASE DESIGN ROOM NUMBER: C029, P039 COMPONENT GROUP INSTRUCTIONAL SUPPORT	_
NUMBER: COMPONENT GROUP INSTRUCTIONAL SUPPORT	
AREA NAME SEMINAR	
OCCUPANT	
FUNCTIONAL CRITERIA	
SPACE FUNCTION A small group room for general use and to be used as a break-out space	
PRIMARY USER Students, teachers	
DESIGNED OCCUPANCY NUMBER 8	
ORIENTATION / VIEWS View to student commons area.	
DAYLIGHTING Borrowed Desirable	
SPECIAL CONSIDERATIONS	
ARCHITECTURAL	
DOOR TYPE Wood door with sidelite c/w metal frame. GSCS - sliding corner glass doo	rs.
PSSD - large overhead garage door with glass panels	
WINDOW, EXTERIOR	
WINDOW, INTERIOR Yes	
MILLWORK Refer to Furniture / Equipment List	
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES 1 @ 1200x1200 whiteboard and 1 @ 1200x1200 tack board. Wall mount flat screen monitor.	ed
OTHER	
FLOORS RSF	
WALLS Paint	
CEILING ACT	
DOOR HARDWARE Lockable	
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS Yes	
FF&E REFER TO FURNITURE AND EQUIPMENT LIST	
TYPE QT DESCRIPTION	
STRUCTURAL	
SPECIAL REQUIREMENTS	
MECHANICAL	
OTHER -	
ELECTRICAL	
LIGHTING Dimmable lighting	
LIGHTING CONTROL Occupancy Sensor w/ manual override switches	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.4	
BASE DESIGN ROOM NUMBER:		
COMPONENT GROUP	INSTRUCTIONAL SUPPORT	
AREA NAME	SEMINAR	
OCCUPANT		
POWER		Work station receptacles, general purpose receptacles
COMMUNICATIONS		1 VOIP phone + 2 data at 2 locations, projector
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, projectors)		AV input at desk + at projector up to ceiling, Wall mounted flat screen monitor.
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		video conferencing equipment as required

ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.5		
BASE DESIGN ROOM NUMBER:	P032.A		
COMPONENT GROUP	INSTRUCT	IONAL SUPPORT	
AREA NAME	TUTORIAL		
OCCUPANT			
FUNCTIONAL CRITERIA			
SPACE FUNCTION		A small group room for general use and to be used as a break-out space	
PRIMARY USER		Students, teachers	
DESIGNED OCCUPANCY NU	MRFR	6	
ORIENTATION / VIEWS	IVIDEIX	View to student commons area.	
DAYLIGHTING		Borrowed Desirable	
SPECIAL CONSIDERATIONS			
ARCHITECTURAL			
DOOR TYPE		Wood door with sidelite c/w metal frame	
WINDOW, EXTERIOR			
WINDOW, INTERIOR		Yes	
MILLWORK		Refer to Furniture / Equipment List	
PRIVACY/SECURITY			
INTERIOR FEATURES			
SPECIALTIES		1 @ 1200x1200 whiteboard and 1 @ 1200x1200 tack board. Rail to display art.	
OTHER			
FLOORS		RSF	
WALLS		Paint	
CEILING		ACT	
DOOR HARDWARE		Lockable	
EXTERIOR WINDOW COVER	RINGS	Yes	
INTERIOR WINDOW COVER	INGS	Yes	
	- AND		
FF&E REFER TO FURNITUR	E AND EQUI		
TYPE		QT DESCRIPTION	
STRUCTURAL			
SPECIAL REQUIREMENTS			
· -			
MECHANICAL			
OTHER			
ELECTRICAL			
		Dimmahla lighting	
LIGHTING CONTROL		Dimmable lighting Occupancy Sonsor w/ manual override switches	
LIGHTING CONTROL POWER		Occupancy Sensor w/ manual override switches Work station recentacles, general purpose recentacles	
COMMUNICATIONS		Work station receptacles, general purpose receptacles 1 VOIP phone + 2 data	
COMMUNICATIONS		1 voir phone + 2 data	

ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.5		
BASE DESIGN ROOM NUMBER:	P032.A		
COMPONENT GROUP	INSTRUCTIONAL SUPPORT		
AREA NAME	TUTORIAL ROOM		
OCCUPANT			
CLASS CALL/INTERCOM		Via phone and ceiling speakers	
CLOCK		No	
SOUND ENHANCEMENT		No	
SPECIALTY A/V (TV, projectors)		Video conference capable, wall mounted flat screen monitor	
DATA		WAP	
SECURITY - CARD ACCESS		N/A	
SECURITY - VIDEO SURVEILLANCE		N/A	
SECURITY - INTRUSION		N/A	
OTHER			

		School Design	
ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.6		
BASE DESIGN ROOM NUMBER:	C035, C203		
COMPONENT GROUP	INICTRITICTI	ONAL SUPPORT	
AREA NAME			
OCCUPANT	LEARNING COMMONS		
FUNCTIONAL CRITERIA			
SPACE FUNCTION		Open learning area as an extension of the adjacent learning spaces within a leaning community	
PRIMARY USER DESIGNED OCCUPANCY NU	MBER	Students, teachers, external staff 25	
ORIENTATION / VIEWS DAYLIGHTING		Library, exterior Direct/Borrowed	
SPECIAL CONSIDERATIONS		Flexible space	
ARCHITECTURAL			
DOOR TYPE			
WINDOW, EXTERIOR		Yes	
WINDOW, INTERIOR			
MILLWORK		Refer to Furniture / Equipment List	
PRIVACY/SECURITY			
INTERIOR FEATURES			
SPECIALTIES		Wall mounted flat screen monitor	
OTHER			
FLOORS		RSF	
WALLS		Paint	
CEILING		ACT	
DOOR HARDWARE			
EXTERIOR WINDOW COVER	RINGS	Yes	
INTERIOR WINDOW COVER	INGS		
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST	
ТҮРЕ		QT DESCRIPTION	
STRUCTURAL			
SPECIAL REQUIREMENTS			
MECHANICAL			
OTHER		2 Sink(s)	
ELECTRICAL			
LIGHTING		Dimmable lighting	
LIGHTING CONTROL		Occupancy sensor providing multiple zones, daylight sensor	
POWER		General purpose receptacles, 1 receptacle per 2 charge stations; Re-charging	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.6	
BASE DESIGN ROOM NUMBER:	C035, C203	
COMPONENT GROUP	INSTRUCTI	ONAL SUPPORT
AREA NAME	LEARNING COMMONS	
OCCUPANT		
		stations for technology
COMMUNICATIONS		N/A
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projecto	ors)	Wall mounted flat screen monitor
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		Provide door contact at all exterior doors.
OTHER		blank outlet c/w 1" conduit, O/H Data + duplex

	School Design			
ROOM DATA SHEET				
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.8			
BASE DESIGN ROOM NUMBER:	C021, P034			
COMPONENT GROUP	INSTRICTION	ONAL SUPPORT		
AREA NAME	PERSONAL			
OCCUPANT	TENSONAL	- CARL		
FUNCTIONAL CRITERIA				
SPACE FUNCTION		Fully accessible W/C for students requiring personal care		
PRIMARY USER	14050	Students, Student Services staff		
DESIGNED OCCUPANCY NU	MBEK	3		
ORIENTATION / VIEWS		N. D. C. I		
DAYLIGHTING		Not Required		
SPECIAL CONSIDERATIONS				
ARCHITECTURAL				
DOOR TYPE		Wood door c/w metal frame		
WINDOW, EXTERIOR				
WINDOW, INTERIOR				
MILLWORK		Refer to Furniture / Equipment List		
PRIVACY/SECURITY				
INTERIOR FEATURES				
SPECIALTIES		XY Lift ,fold down grab bars and tilted mirror		
OTHER				
FLOORS		EP		
WALLS		Paint		
CEILING		GWB		
DOOR HARDWARE		Lockable		
EXTERIOR WINDOW COVER	RINGS			
INTERIOR WINDOW COVER	INGS			
FF&E REFER TO FURNITUR	E AND EQUIF	PMENT LIST		
TYPE		QT DESCRIPTION		
STRUCTURAL				
SPECIAL REQUIREMENTS		Support for XY lift		
5. 252EQUITEITIO				
MECHANICAL				
OTHER		Lavatory and Water Closet. Floor Drain. Accessible Shower only for GSCS.		
OTTILIN		Lavatory and water Closet. Floor Drain. Accessible Shower Unity 101 GSCS.		
ELECTRICAL				
		Non-dimmable lighting		
LIGHTING CONTROL		Non-dimmable lighting Occupancy Sensor w/ manual everride switches		
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches		
POWER COMMUNICATIONS		GFI receptacles by sink		
COIVIIVIUNICATIONS		N/A		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.8	
BASE DESIGN ROOM NUMBER:	C021, P034	
COMPONENT GROUP	INSTRUCTIONAL SUPPORT	
AREA NAME	PERSONAL CARE	
OCCUPANT		
CLASS CALL/INTERCOM	Via ceiling speal	ers
CLOCK	No	
SOUND ENHANCEMENT	No	
SPECIALTY A/V (TV, project	s) No	
DATA	WAP	
SECURITY - CARD ACCESS	N/A	
SECURITY - VIDEO SURVEILL	NCE N/A	
SECURITY - INTRUSION	N/A	
OTHER	Electric Hand Di	yers

		School Design
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.9	
BASE DESIGN ROOM NUMBER:	C019	
COMPONENT GROUP	INSTRUCT	IONAL SUPPORT
AREA NAME	SENSORY I	
OCCUPANT	OLINGOIN I	
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Therapeutic instructional space for children with limited communication skills utilizing special lighting, music, and objects as teaching tools
PRIMARY USER		Students, Student Services staff
DESIGNED OCCUPANCY NU	MBER	2
ORIENTATION / VIEWS		
DAYLIGHTING		Not Required
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door c/w metal frame
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		extra acoustic treatment to provide a quiet room
FLOORS		RSF
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		
EXTERIOR WINDOW COVER	RINGS	
INTERIOR WINDOW COVER	INGS	
FE&F REFER TO FURNITUR	F AND FOLL	PMENT LIST
TYPE QT DESCRIPTION		QT DESCRIPTION
1112		Q1 DESCRIPTION
STRUCTURAL		
STRUCTURAL SDECIAL DECLUDEMENTS		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		-
ELECTRICAL		
LIGHTING		Dimmable lighting
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		General purpose receptacles

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	G2.9	
BASE DESIGN ROOM NUMBER:	C019	
COMPONENT GROUP	INSTRUCTION	ONAL SUPPORT
AREA NAME	SENSORY R	ООМ
OCCUPANT		
COMMUNICATIONS		None
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, project	ors)	No
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		radio controlled receptacles for specifically designed applications

P1.1	
C046, C051	l, P059, P064
PHYSICAL A	ACTIVITY
GYM	
	1 gym for each school and a shared central gym with shared change rooms
	Students, teachers, admin staff, public after hours users
MBER	0
	Diffused Direct/Borrowed
	Alum, fully glazed to main corridor & HM/PSF
	Yes
	Yes - clerestory and translucent
	Refer to Furniture / Equipment List
	Divider Curtain
	Cushion backed Sports Floor
	Paint
	ES
	Lockable
INGS	Yes, motorized
INGS	
AND EQUI	PMENT LIST
	QT DESCRIPTION
	California fina
	Column free
	Ditable Formation
	Drinking Fountain
	Suspended High Bay (dimming req'd if daylight harvesting is required)
	Occupancy Sensor with manual override switches providing multi-level lighting (daylight sensors w/ manual override dimmers req'd if natural light provided)
	PHYSICAL A GYM MBER INGS INGS

ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	P1.1		
BASE DESIGN ROOM NUMBER:	C046, C05	C046, C051, P059, P064	
COMPONENT GROUP	PHYSICAL	ACTIVITY	
AREA NAME	GYM		
OCCUPANT			
POWER		General purpose receptacles, projector receptacle	
COMMUNICATIONS		2 data at 4 locations: adjacent to sound system inputs (x2), near projector screen location, and in flush floor box	
CLASS CALL/INTERCOM		Via wall phone and gym audio system O/H speakers	
CLOCK		Yes (x2)	
SOUND ENHANCEMENT		No	
SPECIALTY A/V (TV, projectors)		Ceiling mounted speakers and 2 connection points to gym audio system (one on each half). PSSD - scoreboard	
DATA		WAP	
SECURITY - CARD ACCESS		No	
SECURITY - VIDEO SURVEILLANCE		No	
SECURITY - INTRUSION		Door contacts at all exterior doors.	
OTHER		6 motorized basketball winches w/ keyed switches, scoreboard with controller, projector screen, curtain divider	

		School Design
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	P2.1	
BASE DESIGN ROOM	C213, P207	•
NUMBER:		
COMPONENT GROUP	SCIENCE	
AREA NAME	MULTI PUF	RPOSE ROOM
OCCUPANT	DAVINCI S	TUDIO
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Flexible instructional space for arts and science project based learning (wet/messy area)
PRIMARY USER		Students, teachers
DESIGNED OCCUPANCY NU	MBER	30
ORIENTATION / VIEWS		Views to exterior
DAYLIGHTING		Direct
SPECIAL CONSIDERATIONS		
ADCUITECTUDAL		
ARCHITECTURAL DOOR TYPE		Sliding barn door c/w glass panels
WINDOW, EXTERIOR WINDOW, INTERIOR		Yes Yes
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		Refer to Furniture / Equipment List
INTERIOR FEATURES		
SPECIALTIES		2 @ 1200x2400 whiteboard and 2 @ 1200x1200 tack boards, Projection screen
OTHER		
FLOORS		RSF
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER		Yes
INTERIOR WINDOW COVER	INGS	Yes
FFOE DESERVE TO THE PARTY OF	E AND EOU	DAAGAIT LIGT
FF&E REFER TO FURNITUR	E AND EQUI	
ТҮРЕ		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		Column free
MECHANICAL		
OTHER		2 sinks
ELECTRICAL		
LIGHTING		Dimmable lighting
LIGHTING CONTROL		Occupancy Sensor and daylight sensor controlled w/ manual dimmer
		2 3 3 4 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	P2.1	
BASE DESIGN ROOM NUMBER:	C213, P207	
COMPONENT GROUP	SCIENCE	
AREA NAME	MULTI PUF	RPOSE ROOM
OCCUPANT	DAVINCI ST	TUDIO
		override and separate whiteboard fixture control at front, on/off control at room entrance
POWER		Work station receptacles, general purpose receptacles, projector receptacle, GFI receptacles above counter receptacle for sink. ceiling mt'dd 20A-receptacles (6 per room each w/ sep cct)
COMMUNICATIONS		2 data at work station+ 1 VOIP phone, 1 projector
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		Yes
SPECIALTY A/V (TV, projectors)		AV input at desk + at projector up to ceiling, smart board
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		
OTHER		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	P2.2	
BASE DESIGN ROOM NUMBER:	C055, P068	3
COMPONENT GROUP	PROGRAM	ARTS
AREA NAME	MULTI PUI	RPOSE ROOM
OCCUPANT	HOME ECC	DNOMICS
FUNCTIONAL CRITERIA		
SPACE FUNCTION		
PRIMARY USER		Students, teachers
DESIGNED OCCUPANCY NU	MBER	0
ORIENTATION / VIEWS		
DAYLIGHTING		Borrowed Desirable
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		Note: to Farmer / Equipment List
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		RSF or Ceramic Tile or EP
WALLS		Paint
CEILING		GWB or ACT - wipeable
DOOR HARDWARE		·
EXTERIOR WINDOW COVERINGS		
INTERIOR WINDOW COVERINGS		
FEO E DEFED TO FURNITUE	F AND FOLL	DNACNIT LIST
FF&E REFER TO FURNITUR TYPE	E AND EQUI	
IIFE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		Column free
MECHANICAL		
OTHER		Kitchen Eyhaust Hoods, hand washing sinks, 2 dauble sinks
OTHER		Kitchen Exhaust Hoods, hand washing sinks, 2 double sinks
ELECTRICAL		
LIGHTING		Dimmable lighting
LIGHTING CONTROL		OC and daylight sensor controlled w/ manual dimmer override and separate whiteboard fixture control at front, on/off control at room entrance
POWER		Work station receptacles, general purpose receptacles, projector receptacle,

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	P2.2	
BASE DESIGN ROOM NUMBER:	C055, P068	
COMPONENT GROUP	PROGRAM	ARTS
AREA NAME	MULTI PUI	RPOSE ROOM
OCCUPANT	HOME ECC	DNOMICS
		GFI receptacles above counter receptacle for sink.
COMMUNICATIONS		2 data at work station+ 1 VOIP phone, 1 projector
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		Yes
SPECIALTY A/V (TV, projecto	ors)	AV input at desk + at projector up to ceiling, smart board
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		
OTHER		microwave(s), stove(s)

		School Design
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	P2.3	
BASE DESIGN ROOM NUMBER:	P053	
COMPONENT GROUP	PROGRAM	I ARTS
AREA NAME		RPOSE ROOM
OCCUPANT	INDUSTRIA	
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Flexible instructional space for industrial arts wood working project based learning
PRIMARY USER		Students, teachers
DESIGNED OCCUPANCY NU ORIENTATION / VIEWS	MBER	0
DAYLIGHTING SPECIAL CONSIDERATIONS		Direct Ability to attach racks and shelves to perimeter wall.
ARCHITECTURAL		
DOOR TYPE		Interior wood door with sidelite c/w metal frame. Exterior insulated metal
BOOKTHE		man door with vision panel. Exterior insulated overhead door (Min 2400mmx2400mm).
WINDOW, EXTERIOR		Yes
WINDOW, INTERIOR		Yes
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		1 @ 1220x2400mm white board, 4 @ 1200x1200 tack boards
OTHER		
FLOORS		CONC
WALLS		Paint
CEILING		ES
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER		Yes
INTERIOR WINDOW COVER	INGS	Yes
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		Column free. Equipment is to be bolted to flooring, blocking required in walls for racking.
MECHANICAL		
OTHER		Recirc Dust Collector, shop sink, eye wash station
OTHER		Necire Dust Collector, Shop Shirk, eye Wash Station
ELECTRICAL		

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	P2.3
BASE DESIGN ROOM NUMBER:	P053
COMPONENT GROUP	PROGRAM ARTS
AREA NAME	MULTI PURPOSE ROOM
OCCUPANT	INDUSTRIAL ARTS

LIGHTING	Dimmable lighting
LIGHTING CONTROL	Manual on/off switch
POWER	Power to various equipment and suspended and perimeter receptacles
COMMUNICATIONS	1 VOIP
CLASS CALL/INTERCOM	Via phone and ceiling speakers
CLOCK	Yes
SOUND ENHANCEMENT	N/A
SPECIALTY A/V (TV, projectors)	N/A
DATA	WAP
SECURITY - CARD ACCESS	N/A
SECURITY - VIDEO SURVEILLANCE	N/A
SECURITY - INTRUSION	
OTHER	Power connection for overhead doors and dust collection system All receptacles shall be child proof.

		<u> </u>
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	P2.12	
BASE DESIGN ROOM NUMBER:	P245	
COMPONENT GROUP	PROGRAM	I ARTS
AREA NAME		RPOSE ROOM
OCCUPANT	AUDIO RO	
	AUDIO NO	OW
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Instructional space for audio recording technology for the Band Room
PRIMARY USER		Students, teachers
DESIGNED OCCUPANCY NU	MRFK	4
ORIENTATION / VIEWS		Band room
DAYLIGHTING		Not Required
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door with sidelite c/w metal frame
WINDOW, EXTERIOR		
WINDOW, INTERIOR		Yes - into band rooms
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		СТ
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	
INTERIOR WINDOW COVER	INGS	
FF&E REFER TO FURNITUR	F AND FOU	PMENT LIST
TYPE	_ / 1D LQOI	QT DESCRIPTION
IIIL		Q1 DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		Column free
MECHANICAL		
OTHER		-
ELECTRICAL		
LIGHTING		Dimmable lighting
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		General purpose receptacles
COMMUNICATIONS		N/A

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	P2.12	
BASE DESIGN ROOM NUMBER:	P245	
COMPONENT GROUP	PROGRAM	ARTS
AREA NAME	MULTI PUR	RPOSE ROOM
OCCUPANT	AUDIO RO	DM
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projecto	ors)	N/A
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	P2.13	
BASE DESIGN ROOM NUMBER:	P054	
COMPONENT GROUP	PROGRAM	ARTS
AREA NAME		RPOSE ROOM
OCCUPANT	IA OFFICE	051 1100111
FUNCTIONAL CRITERIA	17 CTTTGE	
		Office and for staff
SPACE FUNCTION PRIMARY USER		Office space for staff IA Teachers
DESIGNED OCCUPANCY NU	MDED	3
ORIENTATION / VIEWS	INIDEL	View to Industrial Arts room for supervision
DAYLIGHTING		Not Required
SPECIAL CONSIDERATIONS		ivot nequired
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door with sidelite c/w metal frame
WINDOW, EXTERIOR		
WINDOW, INTERIOR		Yes
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		1 @ 1200x1200 whiteboard and 1 @ 1200x1200 tack board
OTHER		C 11 11 11 C 11 11 C
FLOORS		CONC
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	
INTERIOR WINDOW COVER	INGS	Yes
FF&E REFER TO FURNITUR	E AND EQUI	
ТҮРЕ		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
OF ECIAL NEQUINEIVIENTS		
MECHANICAL		
OTHER		-
FLECTRICAL		
ELECTRICAL		Directoral lighting
LIGHTING		Dimmable lighting
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		Work station receptacles, general purpose receptacles
COMMUNICATIONS		2 data at work station + 1 VOIP phone

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	P2.13	
BASE DESIGN ROOM NUMBER:	P054	
COMPONENT GROUP	PROGRAM	ARTS
AREA NAME	MULTI PUR	POSE ROOM
OCCUPANT	IA OFFICE	
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, projecto	ors)	No
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

		School Design
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	P2.6	
BASE DESIGN ROOM NUMBER:	C053, P066	
COMPONENT GROUP	PROGRAM	ARTS
AREA NAME		RPOSE ROOM
OCCUPANT	PERFORMA	
FUNCTIONAL CRITERIA	T EITH OTHER	
		Decree and other activities are a mised floor 1200 off main floor
SPACE FUNCTION		Drama and other activities on a raised floor 1200 off main floor
PRIMARY USER	NADED.	Students, teachers
DESIGNED OCCUPANCY NU	IVIBER	15
ORIENTATION / VIEWS		Damassad
DAYLIGHTING		Borrowed
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		HM/PSF, metal heavy duty overhead door for stage door
		Hivi/PSF, metal neavy duty overnead door for stage door
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		СТ
WALLS		Paint
CEILING		ES
DOOR HARDWARE	NACC.	Lockable
EXTERIOR WINDOW COVER		
INTERIOR WINDOW COVER	INGS	
FEO F DEFED TO SUBJUST	E AND EQUI	DAAGAIT LIGT
FF&E REFER TO FURNITUR	E AND EQUI	
TYPE		QT DESCRIPTION
STRUCTURAL		
		Column from
SPECIAL REQUIREMENTS		Column free
BATCHARUCA!		
MECHANICAL		District for the Advisor
OTHER		Drinking Fountain(s) close by
ELECTRICAL		
LIGHTING		Dimmable lighting,
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		General purpose receptacles
COMMUNICATIONS		2 data at work station+ 1 VOIP phone, 1 projector
COMMUNICATIONS		2 data at work station + 1 voir prione, 1 projector

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	P2.6	
BASE DESIGN ROOM NUMBER:	C053, P060	5
COMPONENT GROUP	PROGRAM	I ARTS
AREA NAME	MULTI PU	RPOSE ROOM
OCCUPANT	PERFORM	ANCE
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, projectors)		AV input at desk + at projector up to ceiling, smart board
DATA		WAP
SECURITY - CARD ACCESS		
SECURITY - VIDEO SURVEILLANCE		
SECURITY - INTRUSION		
OTHER		theatre lighting

		School Design	
ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	P2.10		
BASE DESIGN ROOM NUMBER:	C217, P243		
COMPONENT GROUP	PROGRAM	ARTS	
AREA NAME		PPOSE ROOM	
OCCUPANT	BAND		
FUNCTIONAL CRITERIA			
SPACE FUNCTION		Elevible instructional space for music/hand education	
PRIMARY USER		Flexible instructional space for music/band education Students, teachers	
DESIGNED OCCUPANCY NU	MDED	40	
ORIENTATION / VIEWS	IVIDEN	Audio room	
DAYLIGHTING		Direct	
		Direct	
SPECIAL CONSIDERATIONS			
ARCHITECTURAL			
DOOR TYPE		Wood door with sidelite c/w metal frame	
WINDOW, EXTERIOR		Yes	
WINDOW, EXTERIOR WINDOW, INTERIOR		Yes	
MILLWORK		Refer to Furniture / Equipment List	
PRIVACY/SECURITY		Neter to runniture / Equipment List	
INTERIOR FEATURES			
SPECIALTIES		2 @ 1200x1200 Tack board and 2 @ 1200x2400 white board	
OTHER		2 @ 1200x1200 Tack board and 2 @ 1200x2400 White board	
		RSF	
FLOORS WALLS		Paint	
CEILING		ACT	
DOOR HARDWARE		Lockable	
EXTERIOR WINDOW COVER	DINICS	Yes	
INTERIOR WINDOW COVER		Yes	
INTERIOR WINDOW COVER	iiivus	163	
FF&E REFER TO FURNITUR	F AND FOUI	PMFNT LIST	
TYPE		QT DESCRIPTION	
1112		Q. Desci. Here	
STRUCTURAL			
SPECIAL REQUIREMENTS		Column free	
MECHANICAL			
OTHER		Drinking Fountain(s) close by. Large freestanding sink for musical	
		instruments	
ELECTRICAL			
LIGHTING		Dimmable lighting	
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches	
POWER		General purpose receptacles	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	P2.10	
BASE DESIGN ROOM NUMBER:	C217, P243	
COMPONENT GROUP	PROGRAM ARTS	
AREA NAME	MULTI PURPOSE ROOM	
OCCUPANT	BAND	
COMMUNICATIONS		
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		
SPECIALTY A/V (TV, projectors)		
DATA		WAP
SECURITY - CARD ACCESS		
SECURITY - VIDEO SURVEILLANCE		
SECURITY - INTRUSION		
OTHER		

ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	P3.1		
BASE DESIGN ROOM NUMBER:	PF001. PF0	PF001. PF003	
COMPONENT GROUP	PROGRAM	I FLEXIBILITY	
AREA NAME	LEARNING	SPACE	
OCCUPANT	PRE-KINDE	ERGARTEN	
FUNCTIONAL CRITERIA			
SPACE FUNCTION		Pre-Kindergarten instructional space	
PRIMARY USER		Students, teachers	
DESIGNED OCCUPANCY NU	MBER	0	
ORIENTATION / VIEWS		Views to exterior	
DAYLIGHTING		Direct	
SPECIAL CONSIDERATIONS			
ARCHITECTURAL			
DOOR TYPE		Wood door with sidelite c/w metal frame. Sliding barn door c/w glass panels	
WINDOW, EXTERIOR		Yes	
WINDOW, INTERIOR		Yes	
MILLWORK		Refer to Furniture / Equipment List	
PRIVACY/SECURITY		, , ,	
INTERIOR FEATURES			
SPECIALTIES		2 @ 1200x1200 Tack board and 2 @ 1200x2400 white board	
OTHER			
FLOORS		RSF	
WALLS		Paint	
CEILING		RSF	
DOOR HARDWARE		Lockable	
EXTERIOR WINDOW COVER	RINGS	Yes	
INTERIOR WINDOW COVER	INGS	Yes	
FF&E REFER TO FURNITUR	E AND EQUI	PMENT LIST	
TYPE		QT DESCRIPTION	
STRUCTURAL			
SPECIAL REQUIREMENTS			
MECHANICAL			
OTHER		2 sinks, floor drain near sinks	
ELECTRICAL			
LIGHTING		Dimmable lighting	
LIGHTING CONTROL		Occupancy Sensor and Daylight sensor controlled w/ manual dimmer	
		override and separate whiteboard fixture control at front, on/off control at room entrance	

ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	P3.1		
BASE DESIGN ROOM NUMBER:	PF001. PF0	PF001. PF003	
COMPONENT GROUP	PROGRAM	1 FLEXIBILITY	
AREA NAME	LEARNING	SPACE	
OCCUPANT	PRE-KINDI	ERGARTEN	
POWER		Work station receptacles, general purpose receptacles, projector receptacle, above counter receptacle (GFI) per sink	
COMMUNICATIONS		2 data at work station + 1 VOIP phone, 1 projector	
CLASS CALL/INTERCOM		Via phone and ceiling speakers	
CLOCK		Yes	
SOUND ENHANCEMENT		Yes	
SPECIALTY A/V (TV, projectors)		AV input at desk + at projector up to ceiling, smart board	
DATA		WAP	
SECURITY - CARD ACCESS		N/A	
SECURITY - VIDEO SURVEILLANCE		N/A	
SECURITY - INTRUSION		N/A	
OTHER			

		School Design	
ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	P3.2		
BASE DESIGN ROOM NUMBER:	PF004, PF0	PF004, PF002	
COMPONENT GROUP	PROGRAM	1 FLEXIBILITY	
AREA NAME	W/C		
OCCUPANT			
FUNCTIONAL CRITERIA			
SPACE FUNCTION		Pro-Kindergarten W/C	
PRIMARY USER		Pre-Kindergarten W/C Pre-Kindergarten Students, teacher	
DESIGNED OCCUPANCY NU	INADED	2	
	DIVIDER		
ORIENTATION / VIEWS DAYLIGHTING		Not required	
		Not required	
SPECIAL CONSIDERATIONS		Within Pre-K learning classroom	
ARCHITECTURAL			
DOOR TYPE		Wood door c/w metal frame	
WINDOW, EXTERIOR		, , , , , , , , , , , , , , , , , , ,	
WINDOW, INTERIOR			
MILLWORK		Refer to Furniture / Equipment List	
PRIVACY/SECURITY		There is a farmed by Equipment 200	
INTERIOR FEATURES			
SPECIALTIES			
OTHER			
FLOORS		EP	
WALLS		Paint	
CEILING		GWB	
DOOR HARDWARE		Passage	
EXTERIOR WINDOW COVER	RINGS	1 433486	
INTERIOR WINDOW COVER			
FF&E REFER TO FURNITUR	E AND EQU	IPMENT LIST	
TYPE	~	QT DESCRIPTION	
1112		Q. Seem non	
STRUCTURAL			
SPECIAL REQUIREMENTS			
MECHANICAL			
OTHER		1 lavatory, 1 W/C, 1 Floor Drain	
ELECTRICAL			
LIGHTING		Non-dimmable lighting	
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches	
POWER		GFI receptacles by sink	
COMMUNICATIONS		N/A	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	P3.2	
BASE DESIGN ROOM NUMBER:	PF004, PF0	02
COMPONENT GROUP	PROGRAM	FLEXIBILITY
AREA NAME	W/C	
OCCUPANT		
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, project	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		
OTHER		Electric Hand Dryer

		School Design
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	R1.1	
BASE DESIGN ROOM	C023, P032	
NUMBER:		
COMPONENT GROUP	RESOURCE	CENTRE
AREA NAME	LIBRARY	
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Central Resource Centre for school resources and related storey telling, individual study and small group work areas
PRIMARY USER		Students, teachers, admin staff, external staff
DESIGNED OCCUPANCY NU	MBER	0
ORIENTATION / VIEWS		View to student commons and the exterior
DAYLIGHTING		Direct
SPECIAL CONSIDERATIONS		Additional electrical for flexible work spaces, interactive spaces for varying age groups
ARCHITECTURAL		
DOOR TYPE		Metal frame, fully glazed
WINDOW, EXTERIOR		Yes
WINDOW, INTERIOR		Yes
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		PSSD - Presentation stair; Presentation stair to provide convenience stair on both sides of the dividing wall between the library and the corridor. Presentation stair to act as theatre seating for projection screen or wall.
SPECIALTIES		Projector
OTHER		interactive displays and display areas throughout
FLOORS		СТ
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER		Yes, motorized
INTERIOR WINDOW COVER	INGS	Yes, some translucent glazing for privacy
FF&E REFER TO FURNITUR	E AND EQUIF	
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
MECHANICAL		
OTHER		drinking fountain nearby
ELECTRICAL		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	R1.1	
BASE DESIGN ROOM NUMBER:	C023, P032	
COMPONENT GROUP	RESOURCE	CENTRE
AREA NAME	LIBRARY	
OCCUPANT		
LIGHTING		Hanging lights above staircase; wall mounted linear strips above tech charging stations; combination dimmable lighting in library areas. Non-dimming lighting in library mezzanine
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		Above counter receptacles for tech charging station, computer receptacles, general purpose receptacles as required + at desk adjacent to walls, smart board outlets/receptacles
COMMUNICATIONS		1 teacher work station + 1 VGA + 1 smart board + 2 data per computer + data at desks adjacent to walls + 2 per tech station
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		Yes
SPECIALTY A/V (TV, projectors)		Ceiling mounted power + data for projector. Run VGA for projector to checkout
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		
OTHER		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	R1.2	
BASE DESIGN ROOM NUMBER:	C024, P033	
COMPONENT GROUP	RESOURCE	CENTRE
AREA NAME	LIBRARY O	
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Office for library staff
PRIMARY USER		Library staff
DESIGNED OCCUPANCY NU	MRFR	3
ORIENTATION / VIEWS	ITIDEN	Library
DAYLIGHTING		Borrowed Desirable
SPECIAL CONSIDERATIONS		DOTTOTICA DESITABLE
31 LCIAL CONSIDENATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door with sidelite c/w metal frame
WINDOW, EXTERIOR		Yes
WINDOW, INTERIOR		Yes
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		2 @ 1200x1200 whiteboard and 2 @ 1200x1200 tack board
OTHER		
FLOORS		CT
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER	RINGS	Yes
INTERIOR WINDOW COVER	INGS	Yes - into library
FF&E REFER TO FURNITUR	E AND EQUI	
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
5. LOINE REQUIREMENTS		
MECHANICAL		
OTHER		-
FLECTRICAL		
ELECTRICAL		Alexandra and the Parkets of
LIGHTING		Non-dimmable lighting
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		Work station receptacles, general purpose receptacles
COMMUNICATIONS		2 data at work station + 1 VOIP phone

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	R1.2	
BASE DESIGN ROOM NUMBER:	C024, P033	
COMPONENT GROUP	RESOURCE	CENTRE
AREA NAME	LIBRARY OF	FICE
OCCUPANT		
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		No
SOUND ENHANCEMENT		No
SPECIALTY A/V (TV, projecto	ors)	No
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

School Design		
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	R2.1	
BASE DESIGN ROOM NUMBER:	P223	
COMPONENT GROUP	RESOURCE	CENTRE
AREA NAME	LIBRARY N	-
OCCUPANT		,, <u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Central Resource Centre for school resources . Individual study and small group work areas for older students
PRIMARY USER		Students, teachers, admin staff, external staff
DESIGNED OCCUPANCY NU	MBER	0
ORIENTATION / VIEWS		Overlooking library and views into student commons
DAYLIGHTING		Direct
SPECIAL CONSIDERATIONS		Additional electrical for work spaces
ARCHITECTURAL		Matalfrana fully placed
DOOR TYPE		Metal frame, fully glazed
WINDOW, EXTERIOR		Yes
WINDOW, INTERIOR		Yes
MILLWORK		Refer to Furniture / Equipment List
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		СТ
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER		Yes, motorized
INTERIOR WINDOW COVER	INGS	Yes, some translucent glazing for privacy
FF&E REFER TO FURNITUR	F AND FOLL	PMENT LIST
TYPE	L AND LQU	QT DESCRIPTION
1112		Q1 DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		
NATOUANIIOA:		
MECHANICAL		
OTHER		drinking fountain nearby
ELECTRICAL		
		Hanging lights above stairenss, well mounted linear string above took
LIGHTING		Hanging lights above staircase; wall mounted linear strips above tech charging stations; combination dimmable lighting in library areas. Non-dimming lighting in library mezzanine

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	R2.1	
BASE DESIGN ROOM NUMBER:	P223	
COMPONENT GROUP	RESOURCE	CENTRE
AREA NAME	LIBRARY N	ΛΕΖΖ
OCCUPANT		
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches
POWER		Above counter receptacles for tech charging station, computer receptacles, general purpose receptacles as required + at desk adjacent to walls, smart board outlets/receptacles
COMMUNICATIONS		1 teacher work station + 1 VGA + 1 smart board + 2 data per computer + data at desks adjacent to walls + 2 per tech station
CLASS CALL/INTERCOM		Via phone and ceiling speakers
CLOCK		Yes
SOUND ENHANCEMENT		Yes
SPECIALTY A/V (TV, projectors)		Ceiling mounted power + data for projector. Run VGA for projector to checkout
DATA		WAP
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		
OTHER		

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D1.2
BASE DESIGN ROOM NUMBER:	PF022, PF024, PF027, PF028
COMPONENT GROUP	Program Flexibility
AREA NAME	TODDLER
OCCUPANT	Preschool children and toddlers

OCCUPANT Preschoo	l children and toddlers
FUNCTIONAL CRITERIA	
SPACE FUNCTION	Flexible program space for preschool children and toddlers
PRIMARY USER	Preschool children, toddlers, and childcare staff
DESIGNED OCCUPANCY NUMBER	Maximum occupancy for children per space standards, plus staff (numbers to
	be confirmed)
ORIENTATION / VIEWS	Views to exterior and adjacent pre-school/toddler rooms
DAYLIGHTING	Direct
SPECIAL CONSIDERATIONS	
ARCHITECTURAL	
DOOR TYPE	Wood door/PSF with upper half vision glazing, Glazed overhead garage door
	between pre-school room, alum glazed doors to the exterior vestibule, wood
	door/PSF with upper half vision glazing with sidelight (entries from main
	corridor), sliding barn door w/glass style door
WINDOW, EXTERIOR	Yes
WINDOW, INTERIOR	Yes
MILLWORK	min. 3 lm of countertop with corresponding uppers and lowers with 1 single
	sink (900mm high), closed and lockable
PRIVACY/SECURITY	Silik (Seeliini ingiri), dieseu una leekaste
INTERIOR FEATURES	
SPECIALTIES SPECIALTIES	
OTHER	
FLOORS	Rubber flooring
WALLS	Paint
CEILING	ACT
DOOR HARDWARE	Non-lockable
EXTERIOR WINDOW COVERINGS	Yes
INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND EQU	IPMENT LIST
ТҮРЕ	QT DESCRIPTION
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
MECHANICAL	
OTHER	Wall mounted handwash sink, Sink with bubbler

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D1.2
BASE DESIGN ROOM NUMBER:	PF022, PF024, PF027, PF028
COMPONENT GROUP	Program Flexibility
AREA NAME	TODDLER
OCCUPANT	Preschool children and toddlers

ELECTRICAL	
LIGHTING	Dimmable lighting
LIGHTING CONTROL	Occupancy sensor and daylight sensor controlled with dimmer and override switch
POWER	Above counter receptacle and General purpose receptacles
COMMUNICATIONS	Workstation outlets, phone outlet
CLASS CALL/INTERCOM	Via phone and ceiling speakers
CLOCK	N/A
SOUND ENHANCEMENT	N/A
SPECIALTY A/V (TV, projectors)	N/A
DATA	N/A
SECURITY - CARD ACCESS	N/A
SECURITY - VIDEO SURVEILLANCE	N/A
SECURITY - INTRUSION	Provide motion detectors in room.
OTHER	All receptacles shall be child proof.

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D1.4
BASE DESIGN ROOM NUMBER:	PF019, PF020
COMPONENT GROUP	Program Flexibility
AREA NAME	SLEEP
OCCUPANT	Infants

OCCUPANT In	fants
FUNCTIONAL CRITERIA	
SPACE FUNCTION	Infant sleep room for six cribs
PRIMARY USER	Infants, staff
DESIGNED OCCUPANCY NUME	BER 6 Infants
ORIENTATION / VIEWS	Views to infant play room
DAYLIGHTING	None required
SPECIAL CONSIDERATIONS	
ARCHITECTURAL	
DOOR TYPE	Sliding wood door/PSF with upper half vision glazing
WINDOW, EXTERIOR	Sharing wood doory) or with appear half vision glazing
WINDOW, INTERIOR	Yes
MILLWORK	
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	
OTHER	
FLOORS	Rubber flooring
WALLS	Paint
CEILING	ACT
DOOR HARDWARE	Non-lockable
EXTERIOR WINDOW COVERING	GS
INTERIOR WINDOW COVERING	SS Yes - black out with channels
FF&E REFER TO FURNITURE AI	ND EQUIPMENT LIST
TYPE	QT DESCRIPTION
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
STEEN ENERGY INCIDENTS	Column rec space
MECHANICAL	
OTHER	
ELECTRICAL	
LIGHTING	Dimmable lighting
LIGHTING CONTROL	Manual dimmer switch
POWER	General purpose receptacles
COMMUNICATIONS	N/A
CLASS CALL/INTERCOM	N/A

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D1.4	
BASE DESIGN ROOM NUMBER:	PF019, PF020	
COMPONENT GROUP	Program Flexibility	
AREA NAME	SLEEP	
OCCUPANT	Infants	
CLOCK	N/A	
SOUND ENHANCEMENT	N/A	
SPECIALTY A/V (TV, projecto	rs) N/A	
DATA	N/A	
SECURITY - CARD ACCESS	N/A	
SECURITY - VIDEO SURVEILL	ANCE N/A	
SECURITY - INTRUSION	N/A	
OTHER	All receptacles shall be child proof.	·

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D1.5
BASE DESIGN ROOM NUMBER:	PF014
COMPONENT GROUP	Program Flexibility
AREA NAME	STAFF ROOM
OCCUPANT	Staff

FUNCTIONAL CRITERIA SPACE FUNCTION Child Care Centre Staff lunch room and gathering space, informal meeting space staff DESIGNED OCCUPANCY NUMBER of ORIENTATION / VIEWS DAYLIGHTING DESIGNED OCCUPANCY NUMBER of ORIENTATION / VIEWS DAYLIGHTING DESIGNED OCCUPANCY NUMBER of ORIENTATION / VIEWS DAYLIGHTING DOR TYPE Wood door/PSF with upper half vision glazing WINDOW, EXTERIOR WINDOW, EXTERIOR WINDOW, EXTERIOR WINDOW, INTERIOR Yes in door MILLWORK Kitchenette - min. 3 Im of counter with corresponding uppers and lowers. PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FREE REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting, Additional specialty lighting at kitchenette. LIGHTING ONTROL Occupancy sensor and daylight sensor controlled with dimmer and override switch. Counter lighting controlled with dimmer and override switch. Counter lighting controlled by manual on/off switch	OCCUPANT	OCCUPANT Staff	
PRIMARY USER DESIGNED OCCUPANCY NUMBER 6 ORIENTATION / VIEWS DAYLIGHTING DESIGNED OCCUPANCY NUMBER 6 ORIENTATION / VIEWS DAYLIGHTING DESIGNED BORROWED SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE WOOD door/PSF with upper half vision glazing WINDOW, EXTERIOR WINDOW, INTERIOR Yes in door MILLWORK Kitchenette - min. 3 Im of counter with corresponding uppers and lowers. PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE LOCKable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. UGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	FUNCTIONAL CRITERIA		
Space PRIMARY USER DESIGNED OCCUPANCY NUMBER 6 ORIENTATION / VIEWS DAYLIGHTING DESIRABLE SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with upper half vision glazing WINDOW, EXTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINTERIOR WINTERIOR WINDOW, INTERIOR WINTERIOR EATTURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FFREREFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING DOCUPANDO OCCUPANDO OCCUPINGE LIGHTING DIMMADLE BIPTING OCCUPANDO OCCUPINGE LIGHTING DIMMADLE BIPTING OCCUPANDO OCCUPINGE LIGHTING DIMMADLE BIPTING OCCUPANDO	SPACE FUNCTION	Child Care Centre Staff lunch room and gathering space, informal meeting	
DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with upper half vision glazing WINDOW, EXTERIOR WINDOW, INTERIOR WINDOW, INTERIOR MILLWORK Kitchenette - min. 3 Im of counter with corresponding uppers and lowers. PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE LOckable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. UGHTING CONTROL OCCUPANCY sensor and daylight sensor controlled with dimmer and override			
ORIENTATION / VIEWS DAYLIGHTING DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with upper half vision glazing WINDOW, EXTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDOW, INTERIOR MILLWORK Kitchenette - min. 3 Im of counter with corresponding uppers and lowers. PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. UGHTING CONTROL OCCUPANCY sensor and daylight sensor controlled with dimmer and override	PRIMARY USER	staff	
DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with upper half vision glazing WINDOW, EXTERIOR WINDOW, EXTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINDORK Kitchenette - min. 3 lm of counter with corresponding uppers and lowers. PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING DOCUPANCY Sensor and daylight sensor controlled with dimmer and override	DESIGNED OCCUPANCY NU	MBER 6	
ARCHITECTURAL DOOR TYPE Wood door/PSF with upper half vision glazing WINDOW, EXTERIOR WINDOW, EXTERIOR WINDOW, INTERIOR WINDOW, INTERIOR MILLWORK Kitchenette - min. 3 Im of counter with corresponding uppers and lowers. PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. Occupancy sensor and daylight sensor controlled with dimmer and override	ORIENTATION / VIEWS		
ARCHITECTURAL DOOR TYPE Wood door/PSF with upper half vision glazing WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK Kitchenette - min. 3 Im of counter with corresponding uppers and lowers. PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING OCNTROL Occupancy sensor and daylight sensor controlled with dimmer and override	DAYLIGHTING	Desirable Borrowed	
DOOR TYPE Wood door/PSF with upper half vision glazing WINDOW, EXTERIOR WINDOW, INTERIOR Yes in door MILLWORK Kitchenette - min. 3 Im of counter with corresponding uppers and lowers. PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	SPECIAL CONSIDERATIONS		
DOOR TYPE Wood door/PSF with upper half vision glazing WINDOW, EXTERIOR WINDOW, INTERIOR Yes in door MILLWORK Kitchenette - min. 3 Im of counter with corresponding uppers and lowers. PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override			
WINDOW, EXTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WILLWORK Kitchenette - min. 3 Im of counter with corresponding uppers and lowers. PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	ARCHITECTURAL		
WINDOW, INTERIOR MILLWORK Kitchenette - min. 3 Im of counter with corresponding uppers and lowers. PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	DOOR TYPE	Wood door/PSF with upper half vision glazing	
MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES SINK SPECIALTIES SINK SPECIALTIES SPECIALTIES SPECIALTIES SINK SPECIALTIES SPECIALTIES SPECIALTIES SINK SPECIALTIES SPECIALTIES SPECIALTIES SPECIALTIES SPECIALTIES SINK SPECIALTIES	WINDOW, EXTERIOR		
MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES SINK SPECIALTIES SINK SPECIALTIES SPECIALTIES SPECIALTIES SINK SPECIALTIES SPECIALTIES SPECIALTIES SINK SPECIALTIES SPECIALTIES SPECIALTIES SPECIALTIES SPECIALTIES SINK SPECIALTIES	WINDOW, INTERIOR	Yes in door	
INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	MILLWORK	Kitchenette - min. 3 lm of counter with corresponding uppers and lowers.	
INTERIOR FEATURES SPECIALTIES 1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x 2400) OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	PRIVACY/SECURITY		
OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	*		
OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	SPECIALTIES	1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x	
FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL OCCUPANCY SENSOR and daylight sensor controlled with dimmer and override		2400)	
WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	OTHER		
CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	FLOORS	RSF	
DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. Occupancy sensor and daylight sensor controlled with dimmer and override	WALLS	Paint	
EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	CEILING	ACT	
INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	DOOR HARDWARE	Lockable	
FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	EXTERIOR WINDOW COVER	INGS	
TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	INTERIOR WINDOW COVER	INGS	
TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override			
STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	FF&E REFER TO FURNITURE	AND EQUIPMENT LIST	
SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	TYPE	QT DESCRIPTION	
SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override			
MECHANICAL OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	STRUCTURAL		
OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	SPECIAL REQUIREMENTS	Column free space	
OTHER Sink ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override			
ELECTRICAL LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	MECHANICAL		
LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	OTHER	Sink	
LIGHTING Dimmable lighting. Additional specialty lighting at kitchenette. LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override			
LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	ELECTRICAL		
LIGHTING CONTROL Occupancy sensor and daylight sensor controlled with dimmer and override	LIGHTING	Dimmable lighting. Additional specialty lighting at kitchenette.	
switch. Counter lighting controlled by manual on/off switch	LIGHTING CONTROL		
		switch. Counter lighting controlled by manual on/off switch	

Functional Program Room Data Sheet

Turictional Frogram Room Sata Sheet		
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D1.5	
BASE DESIGN ROOM NUMBER:	PF014	
COMPONENT GROUP	Program Flexibility	
AREA NAME	STAFF ROOM	
OCCUPANT	Staff	
POWER		General purpose receptacles
COMMUNICATIONS		Data and telephone outlets,(not connected to school intercom)
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projectors)		N/A
DATA		N/A

specialty equipment at kitchenette. All receptacles shall be child proof.

N/A N/A

N/A

SECURITY - CARD ACCESS

SECURITY - INTRUSION

OTHER

SECURITY - VIDEO SURVEILLANCE

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D1.6
BASE DESIGN ROOM NUMBER:	PF009, PF010
COMPONENT GROUP	Program Flexibility
AREA NAME	OFFICE
OCCUPANT	Child Care Centre Operator / Meeting

FUNCTIONAL CRITERIA SPACE FUNCTION SPACE FUNCTION Office or small meeting room adjacent to main entry for surveillance PRIMARY USER Staff DESIGNED OCCUPANCY NUMBER 1 per office (+2 guests per office) ORIENTATION / VIEWS DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with upper half vision glazing with sidelight WINDOW, EXTERIOR WINDOW, EXTERIOR WINDOW, INTERIOR WINDOW, INTERIOR WINTERIOR FEATURES SPECIALIES OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS COlumn free space MECHANICAL OTHER LIGHTING LIGHTING LIGHTING ONTROL OCCUPANCY SEARCH OCCUPANCY SEARCH VORSABORD OCCUPANCY SEARCH VORSABORD STRUCTURAL SPECIAL REQUIREMENTS Column free space LIGHTING LIGHTING LIGHTING ONTROL OCCUPANCY SEARCH VORSABORD Via ceiling speakers	OCCUPANT Chil	d Care Centre Operator / Meeting		
PRIMARY USER DESIGNED OCCUPANCY NUMBER DESIGNED OCCUPANCY NUMBER DESIGNED OCCUPANCY NUMBER DESIGNED OCCUPANCY NUMBER DORIENTATION / VIEWS Views to corridor and main entrance DAYLIGHTING DESIRABLE BORROWED SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with upper half vision glazing with sidelight WINDOW, EXTERIOR WINDOW, INTERIOR WINDOW, INTERIOR PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER ELECTRICAL LIGHTING Non-Dimmable lighting LIGHTING LIGHTING CONTROL Occupancy sensor with manual override switch POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)	FUNCTIONAL CRITERIA	FUNCTIONAL CRITERIA		
DESIGNED OCCUPANCY NUMBER ORIENTATION / VIEWS Views to corridor and main entrance DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with upper half vision glazing with sidelight WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES OTHER FLOORS RSF RLOORS RSF RLOORS RSF RLOORS RSF RSF RIVACY/SECURINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW CO	SPACE FUNCTION	office or small meeting room adjacent to main entry for surveillance		
ORIENTATION / VIEWS Views to corridor and main entrance DAYLIGHTING Desirable Borrowed SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with upper half vision glazing with sidelight WINDOW, EXTERIOR WINDOW, INTERIOR Yes MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER ELECTRICAL LIGHTING Non-Dimmable lighting LIGHTING CONTROL Occupancy sensor with manual override switch POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)	PRIMARY USER	staff		
DAYLIGHTING SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with upper half vision glazing with sidelight WINDOW, EXTERIOR WINDOW, EXTERIOR WINDOW, INTERIOR PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL LIGHTING Non-Dimmable lighting LIGHTING LIGHTING COMMUNICATIONS Data and telephone outlets, (not connected to school intercom) Data and telephone outlets, (not connected to school intercom)	DESIGNED OCCUPANCY NUMBER	1 per office (+2 guests per office)		
SPECIAL CONSIDERATIONS ARCHITECTURAL DOOR TYPE Wood door/PSF with upper half vision glazing with sidelight WINDOW, EXTERIOR WINDOW, INTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES OTHER FLOORS RSF WALLS Paint CLUNG DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS SPECIAL REQUIREMENTS Column free space MECHANICAL USAN DOOR HARDWARE LIGHTING DOOR HARDWARE LOCKable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS TYPE OT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS COLUMN free space LIGHTING Non-Dimmable lighting LIGHTING CONTROL Occupancy sensor with manual override switch POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)	ORIENTATION / VIEWS	Views to corridor and main entrance		
ARCHITECTURAL DOOR TYPE Wood door/PSF with upper half vision glazing with sidelight WINDOW, EXTERIOR WINDOW, INTERIOR Yes MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER LIGHTING Non-Dimmable lighting LIGHTING CONTROL Occupancy sensor with manual override switch POWER COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)	DAYLIGHTING	Desirable Borrowed		
DOOR TYPE Wood door/PSF with upper half vision glazing with sidelight WINDOW, EXTERIOR WINDOW, INTERIOR Yes MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER ELECTRICAL LIGHTING Non-Dimmable lighting LIGHTING ONTROL Occupancy sensor with manual override switch POWER COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)	SPECIAL CONSIDERATIONS			
DOOR TYPE Wood door/PSF with upper half vision glazing with sidelight WINDOW, EXTERIOR WINDOW, INTERIOR Yes MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER ELECTRICAL LIGHTING Non-Dimmable lighting LIGHTING ONTROL Occupancy sensor with manual override switch POWER COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)				
WINDOW, EXTERIOR WINDOW, INTERIOR WINDOW, INTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER LIGHTING Non-Dimmable lighting LIGHTING CONTROL OCCUPANCY SENSOR WITH manual override switch POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)	ARCHITECTURAL			
WINDOW, INTERIOR MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER ELECTRICAL LIGHTING Non-Dimmable lighting LIGHTING CONTROL OCCUPANCY SENSOR WITH manual override switch POWER COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)	DOOR TYPE	Wood door/PSF with upper half vision glazing with sidelight		
MILLWORK PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER ELECTRICAL LIGHTING Non-Dimmable lighting LIGHTING CONTROL POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets,(not connected to school intercom)	WINDOW, EXTERIOR			
PRIVACY/SECURITY INTERIOR FEATURES SPECIALTIES OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER ELECTRICAL LIGHTING Non-Dimmable lighting LIGHTING CONTROL POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets,(not connected to school intercom)	WINDOW, INTERIOR	Yes		
INTERIOR FEATURES SPECIALTIES OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER LIGHTING Non-Dimmable lighting LIGHTING CONTROL POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)	MILLWORK			
SPECIALTIES OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER ELECTRICAL LIGHTING Non-Dimmable lighting LIGHTING CONTROL OCCUPANCY sensor with manual override switch POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)	PRIVACY/SECURITY			
OTHER FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER ELECTRICAL LIGHTING Non-Dimmable lighting LIGHTING CONTROL OCCUPANCY sensor with manual override switch POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)	INTERIOR FEATURES			
FLOORS RSF WALLS Paint CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER LIGHTING Non-Dimmable lighting LIGHTING CONTROL Occupancy sensor with manual override switch POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets,(not connected to school intercom)	SPECIALTIES			
WALLS CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER LIGHTING LIGHTING LIGHTING Non-Dimmable lighting LIGHTING CONTROL OCCUPANCY sensor with manual override switch POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)	OTHER			
CEILING ACT DOOR HARDWARE Lockable EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER LIGHTING Non-Dimmable lighting LIGHTING CONTROL Occupancy sensor with manual override switch POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)	FLOORS	RSF		
DOOR HARDWARE EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER LIGHTING LIGHTING Non-Dimmable lighting LIGHTING CONTROL POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)	WALLS			
EXTERIOR WINDOW COVERINGS INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER ELECTRICAL LIGHTING Non-Dimmable lighting LIGHTING CONTROL POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)				
INTERIOR WINDOW COVERINGS Yes FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER ELECTRICAL LIGHTING Non-Dimmable lighting LIGHTING CONTROL POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)				
FF&E REFER TO FURNITURE AND EQUIPMENT LIST TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER ELECTRICAL LIGHTING Non-Dimmable lighting LIGHTING CONTROL Occupancy sensor with manual override switch POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)				
TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER ELECTRICAL LIGHTING Non-Dimmable lighting LIGHTING CONTROL Occupancy sensor with manual override switch POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)	INTERIOR WINDOW COVERINGS	Yes		
TYPE QT DESCRIPTION STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER ELECTRICAL LIGHTING Non-Dimmable lighting LIGHTING CONTROL Occupancy sensor with manual override switch POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)				
STRUCTURAL SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER ELECTRICAL LIGHTING LIGHTING CONTROL Occupancy sensor with manual override switch POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)				
SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER ELECTRICAL LIGHTING LIGHTING Non-Dimmable lighting LIGHTING CONTROL Occupancy sensor with manual override switch POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)	ТҮРЕ	QT DESCRIPTION		
SPECIAL REQUIREMENTS Column free space MECHANICAL OTHER ELECTRICAL LIGHTING LIGHTING Non-Dimmable lighting LIGHTING CONTROL Occupancy sensor with manual override switch POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)				
MECHANICAL OTHER ELECTRICAL LIGHTING Non-Dimmable lighting LIGHTING CONTROL Occupancy sensor with manual override switch POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)				
ELECTRICAL LIGHTING Non-Dimmable lighting LIGHTING CONTROL Occupancy sensor with manual override switch POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)	SPECIAL REQUIREMENTS	Column free space		
ELECTRICAL LIGHTING Non-Dimmable lighting LIGHTING CONTROL Occupancy sensor with manual override switch POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)	MECHANICAL			
ELECTRICAL LIGHTING Non-Dimmable lighting LIGHTING CONTROL Occupancy sensor with manual override switch POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)				
LIGHTING Non-Dimmable lighting LIGHTING CONTROL Occupancy sensor with manual override switch POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)				
LIGHTING CONTROL Occupancy sensor with manual override switch Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)	ELECTRICAL			
LIGHTING CONTROL Occupancy sensor with manual override switch Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets, (not connected to school intercom)	LIGHTING	Non-Dimmable lighting		
POWER Workstation receptacles and general purpose receptacles COMMUNICATIONS Data and telephone outlets,(not connected to school intercom)				
·	POWER			
CLASS CALL/INTERCOM Via ceiling speakers	COMMUNICATIONS	Data and telephone outlets,(not connected to school intercom)		
	CLASS CALL/INTERCOM	Via ceiling speakers		

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D1.6	
BASE DESIGN ROOM NUMBER:	PF009, PF010	
COMPONENT GROUP	Program Flexibility	
AREA NAME	OFFICE	
OCCUPANT	Child Care Centre Operator / Meeting	
CLOCK	N/A	
SOUND ENHANCEMENT	N/A	
SPECIALTY A/V (TV, projecto	rors) N/A	
DATA		
SECURITY - CARD ACCESS	N/A	
SECURITY - VIDEO SURVEILL	LANCE N/A	
SECURITY - INTRUSION	N/A	
OTHER		

Functional Program Room Data Sheet			
ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	D1.7		
BASE DESIGN ROOM NUMBER:	PF025		
COMPONENT GROUP	Program F	lexibility	
AREA NAME	CUBBIES		
OCCUPANT			
FUNCTIONAL CRITERIA			
SPACE FUNCTION		Storage cubbies centrally located	
PRIMARY USER		children, staff, parents	
DESIGNED OCCUPANCY NU	MBER		
ORIENTATION / VIEWS		View to main corridor and program spaces	
DAYLIGHTING		Desirable Borrowed	
SPECIAL CONSIDERATIONS			
ARCHITECTURAL			
DOOR TYPE		Wood door/PSF with upper half vision glazing and sidelight	
WINDOW, EXTERIOR			
WINDOW, INTERIOR		Yes	
MILLWORK			

ARCHITECTURAL	
DOOR TYPE	Wood door/PSF with upper half vision glazing and sidelight
WINDOW, EXTERIOR	
WINDOW, INTERIOR	Yes
MILLWORK	
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	
OTHER	
FLOORS	Rubber flooring
WALLS	Paint
CEILING	ACT
DOOR HARDWARE	Non-lockable
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND EQUIPMENT LIST	
TVDE	OT DESCRIPTION

INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND EC	QUIPMENT LIST
ТҮРЕ	QT DESCRIPTION
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
MECHANICAL	
OTHER	
ELECTRICAL	
LIGHTING	Non-Dimmable lighting
LIGHTING CONTROL	Occupancy sensor with manual override switch
POWER	General purpose receptacles
COMMUNICATIONS	N/A
CLASS CALL/INTERCOM	Via ceiling speakers

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D1.7	
BASE DESIGN ROOM NUMBER:	PF025	
COMPONENT GROUP	Program Flexibility	
AREA NAME	CUBBIES	
OCCUPANT		
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projecto	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		All receptacles shall be child proof.

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.1
BASE DESIGN ROOM NUMBER:	PF013
COMPONENT GROUP	Program Flexibility
AREA NAME	KITCHEN
OCCUPANT	Kitchen Cook(s)

OCCUPANT Kitchen Cook(s)		
FUNCTIONAL CRITERIA		
SPACE FUNCTION	Child Care Centre kitchen for food preparation for children enrolled in the	
	program	
PRIMARY USER	staff	
DESIGNED OCCUPANCY NUMBER	2	
ORIENTATION / VIEWS		
DAYLIGHTING	None required	
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE	Wood door/PSF with upper half vision glazing	
WINDOW, EXTERIOR		
WINDOW, INTERIOR	Yes in door	
MILLWORK	Kitchen - min 10 lm of counter with corresponding uppers and lowers. Center	
	Island - min. 3 lm of counter.	
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES	1200x1800 whiteboard and 1200x600 tack board in 1 unit (overall 1200x	
	2400)	
OTHER		
FLOORS	Safety flooring	
WALLS	Paint	
CEILING	Mylar ceiling tile	
DOOR HARDWARE		
EXTERIOR WINDOW COVERINGS		
INTERIOR WINDOW COVERINGS		
FF&E REFER TO FURNITURE AND EQU	IIPMENT LIST	
TYPE	QT DESCRIPTION	
STRUCTURAL		
SPECIAL REQUIREMENTS	Column free space	
MECHANICAL		
OTHER	Kitchen Hood Exhaust, 2 -Double Compartment Sinks, Dishwasher hook-up	
ELECTRICAL		
LIGHTING	Non-Dimmable lighting	
LIGHTING CONTROL	Occupancy sensor with manual override switch	
	, , ,	

		<u> </u>
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.1	
BASE DESIGN ROOM NUMBER:	PF013	
COMPONENT GROUP	Program Flexibility	
AREA NAME	KITCHEN	
OCCUPANT	Kitchen Cod	ok(s)
POWER		Power receptacles for all kitchen equipment and general purpose receptacles above counter and at island as required.
COMMUNICATIONS		N/A
CLASS CALL/INTERCOM		Via ceiling speakers

POWER	Power receptacles for all kitchen equipment and general purpose receptacles
	above counter and at island as required.
COMMUNICATIONS	N/A
CLASS CALL/INTERCOM	Via ceiling speakers
CLOCK	N/A
SOUND ENHANCEMENT	N/A
SPECIALTY A/V (TV, projectors)	N/A
DATA	N/A
SECURITY - CARD ACCESS	N/A
SECURITY - VIDEO SURVEILLANCE	N/A
SECURITY - INTRUSION	N/A
OTHER	

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.11
BASE DESIGN ROOM NUMBER:	PF012
COMPONENT GROUP	Program Flexibility
AREA NAME	JANITOR
OCCUPANT	Janitor

OCCUPANT Janitor	
FUNCTIONAL CRITERIA	
SPACE FUNCTION	Child Care Centre janitor
PRIMARY USER	janitor, staff
DESIGNED OCCUPANCY NUMBER	
ORIENTATION / VIEWS	Main corridor
DAYLIGHTING	None required
SPECIAL CONSIDERATIONS	
ARCHITECTURAL	
DOOR TYPE	Wood door/PSF
WINDOW, EXTERIOR	
WINDOW, INTERIOR	
MILLWORK	
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	
OTHER	
FLOORS	Exposed concrete with hardener
WALLS	Paint / FRP on walls
CEILING	N/A
DOOR HARDWARE	Lockable
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND EQUIPMENT LIST	
ТҮРЕ	QT DESCRIPTION
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
MECHANICAL	
OTHER	Exhaust, Janitor Sink, Floor Drains
ELECTRICAL	
LIGHTING	Non-Dimmable lighting
LIGHTING CONTROL	Occupancy sensor with manual override switch
POWER	General purpose receptacles
COMMUNICATIONS	N/A
CLASS CALL/INTERCOM	N/A

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.11	
BASE DESIGN ROOM NUMBER:	PF012	
COMPONENT GROUP	Program Flexibility	
AREA NAME	JANITOR	
OCCUPANT	Janitor	
CLOCK	N/A	
SOUND ENHANCEMENT	N/A	
SPECIALTY A/V (TV, projecto	ors) N/A	
DATA	N/A	
SECURITY - CARD ACCESS	N/A	
SECURITY - VIDEO SURVEILL	ANCE N/A	
SECURITY - INTRUSION	N/A	
OTHER		

		Functional Program Room Data Sheet	
ROOM DATA SHEET			
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.12		
BASE DESIGN ROOM NUMBER:	PF018		
COMPONENT GROUP	Program F	lexibility	
AREA NAME	INFANT		
OCCUPANT	Infants		
FUNCTIONAL CRITERIA			
SPACE FUNCTION		Infant program space, including teacher preparation area, food prep. Area and cubbies	
PRIMARY USER		Infants and staff	
DESIGNED OCCUPANCY NU	MBER	12 infants	
ORIENTATION / VIEWS		Exterior, infant sleep rooms and change room	
DAYLIGHTING SPECIAL CONSIDERATIONS		Direct	
SPECIAL CONSIDERATIONS			
ARCHITECTURAL			
DOOR TYPE		Wood door/PSF with upper half vision glazing and sidelight	
WINDOW, EXTERIOR			
WINDOW, INTERIOR		Yes	
MILLWORK		3 Im of countertop with corresponding uppers and lowers with 1 single sink (900mm high), closed and lockable (Teacher Prep. Area) 3 Im of countertop with corresponding uppers and lowers with 1 single sink (900mm high), closed and lockable (Food Prep. Area)	
PRIVACY/SECURITY			
INTERIOR FEATURES			
SPECIALTIES			
OTHER			
FLOORS		Rubber flooring	
WALLS		Paint	
CEILING DOOR HARDWARE		ACT Non-lockable	
EXTERIOR WINDOW COVER	NINGS	Yes	
INTERIOR WINDOW COVER		165	
INTERIOR WINDOW COVER			
FF&E REFER TO FURNITURE	FF&E REFER TO FURNITURE AND EQUIPMENT LIST		
TYPE		QT DESCRIPTION	
STRUCTURAL			
SPECIAL REQUIREMENTS		Column free space	
MECHANICAL			
OTHER			

ELECTRICAL

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.12
BASE DESIGN ROOM NUMBER:	PF018
COMPONENT GROUP	Program Flexibility
AREA NAME	INFANT
OCCUPANT	Infants

LIGHTING	Dimmable lighting
LIGHTING CONTROL	Occupancy sensor and daylight sensor controlled with dimmer and override
	switch
POWER	Above counter receptacle and general purpose receptacles
COMMUNICATIONS	Workstation outlets, phone outlet
CLASS CALL/INTERCOM	Via phone and ceiling speakers
CLOCK	N/A
SOUND ENHANCEMENT	N/A
SPECIALTY A/V (TV, projectors)	AV input with required conduit at desk
DATA	N/A
SECURITY - CARD ACCESS	N/A
SECURITY - VIDEO SURVEILLANCE	N/A
SECURITY - INTRUSION	Provide motion detectors in room.
OTHER	All receptacles shall be child proof.

Functional Program Room Data Sheet		
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.2	
BASE DESIGN ROOM	PF016	
NUMBER:		
COMPONENT GROUP	Program F	lexibility
AREA NAME	PANTRY	
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Pantry for storing dry goods
PRIMARY USER		staff
DESIGNED OCCUPANCY NU	MBER	
ORIENTATION / VIEWS		Corridor
DAYLIGHTING		None required
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door/PSF
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		RSF
WALLS		Paint
CEILING		GWB
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER		
INTERIOR WINDOW COVER	IINGS	
FF&E REFER TO FURNITURI	T AND FOLL	DAAFAIT LICT
TYPE	AND EQUI	QT DESCRIPTION
ITPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		Column free space
SELCIAL NEQUINEIVIENTS		Column nee space
MECHANICAL		
OTHER		
OTTLK		
ELECTRICAL		
LIGHTING		Non-Dimmable lighting
LIGHTING CONTROL		Occupancy sensor controlled
DOWER CONTROL		Consider a constraint of the control

General purpose receptacles

N/A

N/A

POWER

COMMUNICATIONS

CLASS CALL/INTERCOM

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.2	
BASE DESIGN ROOM NUMBER:	PF016	
COMPONENT GROUP	Program Flexibility	
AREA NAME	PANTRY	
OCCUPANT		
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projecto	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.3
BASE DESIGN ROOM NUMBER:	PF017
COMPONENT GROUP	Program Flexibility
AREA NAME	TUB
OCCUPANT	

OCCUPANT	
FUNCTIONAL CRITERIA	
SPACE FUNCTION	Tub room and barrier free staff and visitor washroom
PRIMARY USER	Visitors, staff and children
DESIGNED OCCUPANCY NUMBER	2
ORIENTATION / VIEWS	Corridor
DAYLIGHTING	None required
SPECIAL CONSIDERATIONS	
ARCHITECTURAL	
DOOR TYPE	Wood door/PSF
WINDOW, EXTERIOR	
WINDOW, INTERIOR	
MILLWORK	
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	
OTHER	
FLOORS	RSF
WALLS	Paint, Ceramic tile to 4'
CEILING	GWB
DOOR HARDWARE	Lockable
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND EQUIP	PMENT LIST
TYPE	QT DESCRIPTION
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
MECHANICAL	
OTHER	Exhaust, Standard tub, wall mounted sink, toilet
ELECTRICAL	
LIGHTING	Non-Dimmable lighting
LIGHTING CONTROL	Occupancy sensor controlled
POWER	GFI receptacles above counter at sink
COMMUNICATIONS	N/A
CLASS CALL/INTERCOM	Via ceiling speakers

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.3	
BASE DESIGN ROOM NUMBER:	PF017	
COMPONENT GROUP	Program Flexibility	
AREA NAME	TUB	
OCCUPANT		
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, project	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER	_	Electric hand dryer.

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.4
BASE DESIGN ROOM	PF021
NUMBER:	
COMPONENT GROUP	Program Flexibility
AREA NAME	CHANGE ROOM
OCCUPANT	
FUNCTIONAL CRITERIA	

OCCUPANT	
FUNCTIONAL CRITERIA	
SPACE FUNCTION	Infant diaper change room
PRIMARY USER	Infants and staff
DESIGNED OCCUPANCY NUMBER	
ORIENTATION / VIEWS	Infant program space
DAYLIGHTING	Desirable Borrowed
SPECIAL CONSIDERATIONS	Change table with sink and pull out steps
ARCHITECTURAL	
DOOR TYPE	Sliding wood door/PSF with upper half vision glazing
WINDOW, EXTERIOR	
WINDOW, INTERIOR	Yes
MILLWORK	min. 1.5 lm of counter with a single sink,(change tables on both sides of sink
	with pull out steps and open shelving above - to be furniture)
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	
OTHER	
FLOORS	Rubber flooring
WALLS	Paint
CEILING	GWB
DOOR HARDWARE	Non-lockable
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND EQUI	
TYPE	QT DESCRIPTION
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
MECHANICAL	
OTHER	Exhaust
ELECTRICAL	
LIGHTING	Non-Dimmable lighting
LIGHTING CONTROL	Occupancy sensor with manual override switch
POWER	General purpose receptacle & GFI receptacles above counter
COMMUNICATIONS	N/A

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.4	
BASE DESIGN ROOM NUMBER:	PF021	
COMPONENT GROUP	Program Flexibility	
AREA NAME	CHANGE ROOM	
OCCUPANT		
CLASS CALL/INTERCOM	Via ceiling speakers	
CLOCK	N/A	
SOUND ENHANCEMENT	N/A	
SPECIALTY A/V (TV, projecto	ors) N/A	
DATA	N/A	
SECURITY - CARD ACCESS	N/A	
SECURITY - VIDEO SURVEILL	ANCE N/A	
SECURITY - INTRUSION	N/A	
OTHER	Electric hand dryers	

D2.5
PF015
Program Flexibility
LAUNDRY

OCCUPANT	
FUNCTIONAL CRITERIA	
SPACE FUNCTION	Child Care Centre laundry room
PRIMARY USER	staff
DESIGNED OCCUPANCY NUMBER	1
ORIENTATION / VIEWS	Corridor
DAYLIGHTING	None required
SPECIAL CONSIDERATIONS	
ARCHITECTURAL	
DOOR TYPE	Wood door/PSF
WINDOW, EXTERIOR	
WINDOW, INTERIOR	Yes in door
MILLWORK	min. 1.5 lm of counter with corresponding uppers and lowers. Single sink.
	(maximize width of room)
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	
OTHER	
FLOORS	RSF
WALLS	Paint
CEILING	GWB
DOOR HARDWARE	Lockable
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND EQUI	
ТҮРЕ	QT DESCRIPTION
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
MECHANICAL	
OTHER	Ventilation for Dryer, Connections for Washing Machine, floor drain
ELECTRICAL	
LIGHTING	Non-Dimmable lighting
LIGHTING CONTROL	Occupancy sensor with manual override switch
POWER	Washer, dryer and General purpose receptacles
COMMUNICATIONS	N/A

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.5	
BASE DESIGN ROOM NUMBER:	PF015	
COMPONENT GROUP	Program Flexibility	
AREA NAME	LAUNDRY	
OCCUPANT		
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projectors)		N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

Joint Use School Project 1 and 2 – Child Care Centre		
Functional Program Room Data Sheet		
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.6	
BASE DESIGN ROOM NUMBER:	PF011	
COMPONENT GROUP	Program Flexibility	
AREA NAME	STORAGE	
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Child Care Centre storage
PRIMARY USER		staff
DESIGNED OCCUPANCY NU	JMBER	
ORIENTATION / VIEWS		Main corridor
DAYLIGHTING		None required
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Wood door/PSF
WINDOW, EXTERIOR		
WINDOW, INTERIOR		
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		

SPECIALTIES OTHER FLOORS

WALLS

CEILING	GWB
DOOR HARDWARE	Lockable
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND EQ	UIPMENT LIST
ТҮРЕ	QT DESCRIPTION
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
MECHANICAL	
OTHER	
ELECTRICAL	
LIGHTING	Non-Dimmable lighting
LIGHTING CONTROL	Occupancy sensor with manual override switch
POWER	General purpose receptacles
COMMUNICATIONS	N/A
CLASS CALL/INTERCOM	N/A

RSF

Paint

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.6	
BASE DESIGN ROOM NUMBER:	PF011	
COMPONENT GROUP	Program Fl	exibility
AREA NAME	STORAGE	
OCCUPANT		
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projecto	ors)	N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

D2.7
PF003
Program Flexibility
VESTIBULE

OCCUPANT	
FUNCTIONAL CRITERIA	
SPACE FUNCTION	Community Entrance Vestibule
PRIMARY USER	staff, students, visitors
DESIGNED OCCUPANCY NUMBER	
ORIENTATION / VIEWS	To the outdoor play/education areas, street
DAYLIGHTING	Direct
SPECIAL CONSIDERATIONS	Allow for parking of strollers for Community Resource Centre
ARCHITECTURAL	
DOOR TYPE	Aluminum/glass entry door, aluminum frame
WINDOW, EXTERIOR	Yes
WINDOW, INTERIOR	Yes
MILLWORK	
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	
OTHER	
FLOORS	RSF c/w recessed entry mat
WALLS	Paint
CEILING	ACT
DOOR HARDWARE	Lockable
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND EQUIP	PMENT LIST
ТҮРЕ	QT DESCRIPTION
CTD LICTURAL	
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
MECHANICAL	
OTHER	
ELECTRICAL	
LIGHTING	Non-Dimmable lighting
LIGHTING CONTROL	Occupancy sensor and daylight sensor controlled an d non-switches night lights
POWER	General purpose receptacles
COMMUNICATIONS	N/A

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.7	
BASE DESIGN ROOM NUMBER:	PF003	
COMPONENT GROUP	Program Flexibility	
AREA NAME	VESTIBULE	
OCCUPANT		
CLASS CALL/INTERCOM		N/A
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projectors)		N/A
DATA		N/A
SECURITY - CARD ACCESS		Door access rough-in required
SECURITY - VIDEO SURVEILLANCE		Camera on exterior of building by doors with entry systems
SECURITY - INTRUSION		Provide door contact at all exterior doors. Provide motion detectors in room. Provide Security Alarm keypad.
OTHER		

Functional Program Room Data Sheet

		runctional Program Room Data Sneet
ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.7	
BASE DESIGN ROOM NUMBER:	PF026	
COMPONENT GROUP	Program Flexibility	
AREA NAME	VESTIBULE	
OCCUPANT		
FUNCTIONAL CRITERIA		
SPACE FUNCTION		Child Care Centre Vestibule
PRIMARY USER		children, staff
DESIGNED OCCUPANCY NU	MBER	
ORIENTATION / VIEWS		To enclosed exterior play space
DAYLIGHTING		Direct
SPECIAL CONSIDERATIONS		
ARCHITECTURAL		
DOOR TYPE		Aluminum/glass entry door, aluminum frame
WINDOW, EXTERIOR		Yes
WINDOW, INTERIOR		Yes
MILLWORK		
PRIVACY/SECURITY		
INTERIOR FEATURES		
SPECIALTIES		
OTHER		
FLOORS		Rubber flooring c/w recessed entry mat
WALLS		Paint
CEILING		ACT
DOOR HARDWARE		Lockable
EXTERIOR WINDOW COVER		
INTERIOR WINDOW COVER	INGS	
FF&E REFER TO FURNITURE AND EQUIPMENT LIST		
TYPE		QT DESCRIPTION
STRUCTURAL		
SPECIAL REQUIREMENTS		Column free space

Non-Dimmable lighting

lights

MECHANICAL

ELECTRICAL

LIGHTING CONTROL

COMMUNICATIONS

LIGHTING

POWER

OTHER

General purpose receptacles
N/A

Appendix 3B – Functional Program Room Data Sheet

Occupancy sensor and daylight sensor controlled an d non-switches night

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.7	
BASE DESIGN ROOM NUMBER:	PF026	
COMPONENT GROUP	Program Flexibility	
AREA NAME	VESTIBULE	
OCCUPANT		
CLASS CALL/INTERCOM		N/A
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projectors)		N/A
DATA		N/A
SECURITY - CARD ACCESS		Door access rough-in required
SECURITY - VIDEO SURVEILLANCE		Camera on exterior of building by doors with entry systems
SECURITY - INTRUSION		Provide door contact at all exterior doors. Provide motion detectors/glass
		break sensors at windows. Provide Security Alarm keypad.
OTHER		

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.8
BASE DESIGN ROOM NUMBER:	PF023, PF029
COMPONENT GROUP	Program Flexibility
AREA NAME	W/C
OCCUPANT	

OCCUPANT	
FUNCTIONAL CRITERIA	
SPACE FUNCTION	Preschool / Toddler washroom
PRIMARY USER	children
DESIGNED OCCUPANCY NUMBER	
ORIENTATION / VIEWS	Preschool / toddler program spaces
DAYLIGHTING	Desirable Borrowed
SPECIAL CONSIDERATIONS	2 Change tables with sink and pull out steps per w/c
ARCHITECTURAL	
DOOR TYPE	
WINDOW, EXTERIOR	
WINDOW, INTERIOR	
MILLWORK	min. 2.8 lm of Counter at 600mm high with 3 sinks, counter to accommodate
	large sink by change table 900mm high
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	Side toilet partitions in toddler washroom, toilet partitions and doors in Pre-
	School washroom. Toilets should be children height
OTHER	
FLOORS	Rubber flooring
WALLS	Paint, Ceramic tile to 4'
CEILING	GWB
DOOR HARDWARE	
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND EQUI	PMENT LIST
ТҮРЕ	QT DESCRIPTION
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
MECHANICAL	
OTHER	Exhaust, Water Closets, Lavatories, Floor Drains
ELECTRICAL	
LIGHTING	Non-Dimmable lighting
LIGHTING CONTROL	Occupancy sensor with manual override switch
POWER	GFI receptacles above counter at sink

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.8	
BASE DESIGN ROOM NUMBER:	PF023, PF029	
COMPONENT GROUP	Program Flo	exibility
AREA NAME	W/C	
OCCUPANT		
COMMUNICATIONS		N/A
CLASS CALL/INTERCOM		N/A
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projectors)		N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		Electric hand dryer. All receptacles shall be child proof.

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.9
BASE DESIGN ROOM NUMBER:	PF008
COMPONENT GROUP	Program Flexibility
AREA NAME	CORRIDOR
OCCUPANT	
FUNCTION AL CRITERIA	

OCCUPANT	
FUNCTIONAL CRITERIA	
SPACE FUNCTION	Main corridor
PRIMARY USER	children, parents, staff, visitors
DESIGNED OCCUPANCY NUMBER	
ORIENTATION / VIEWS	To program and service spaces
DAYLIGHTING	Desirable Borrowed
SPECIAL CONSIDERATIONS	
ARCHITECTURAL	
DOOR TYPE	Aluminum/glass entry door, aluminum frame
WINDOW, EXTERIOR	
WINDOW, INTERIOR	Yes
MILLWORK	
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	
OTHER	
FLOORS	RSF
WALLS	Paint
CEILING	ACT
DOOR HARDWARE	
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND EQUIP	,
TYPE	QT DESCRIPTION
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
MECHANICAL	
OTHER	Water Fountain
ELECTRICAL	
LIGHTING	Non-Dimmable lighting
LIGHTING LIGHTING CONTROL	Occupancy sensor with manual override switch
POWER	House keeping receptacles
COMMUNICATIONS	N/A
CLASS CALL/INTERCOM	Via ceiling speakers
CL 103 CALLY INTERCONT	via cening speakers

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D2.9	
BASE DESIGN ROOM NUMBER:	PF008	
COMPONENT GROUP	Program Flexibility	
AREA NAME	CORRIDOR	
OCCUPANT		
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projectors)		N/A
DATA		N/A
SECURITY - CARD ACCESS		Card Access on exterior door
SECURITY - VIDEO SURVEILLANCE		Video camera in vestibules leading into corridor
SECURITY - INTRUSION		Provide door contact at all exterior doors.
OTHER		

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D3.1
BASE DESIGN ROOM NUMBER:	PF004
COMPONENT GROUP	Program Flexibility
AREA NAME	COMMUNITY RESOURCE CENTRE
OCCUPANT	
FUNCTIONAL CRITERIA	

OCCUPANT	
FUNCTIONAL CRITERIA	
SPACE FUNCTION	Multipurpose space to be utilized by itinerant staff and outside resources
	during the day and the community after hours
PRIMARY USER	staff, students, visitors, community
DESIGNED OCCUPANCY NUMBER	Max 59
ORIENTATION / VIEWS	Exterior, community main entrance
DAYLIGHTING	Direct
SPECIAL CONSIDERATIONS	
ARCHITECTURAL	
DOOR TYPE	Aluminum/glass entry door, aluminum frame
WINDOW, EXTERIOR	.0 ,
WINDOW, INTERIOR	Yes
MILLWORK	min. 3 lm of counter with corresponding uppers and lowers. Single sink.
PRIVACY/SECURITY	1 Output and a second
INTERIOR FEATURES	
SPECIALTIES	
OTHER	
FLOORS	RSF
WALLS	Paint
CEILING	ACT
DOOR HARDWARE	Lockable
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND EQUI	
ТҮРЕ	QT DESCRIPTION
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
MECHANICAL	
OTHER	Sink in millwork, hand wash sink outside PF005
ELECTRICAL	
LIGHTING	Dimmable lighting
LIGHTING CONTROL	Occupancy sensor and daylight sensor controlled with dimmer and override switches
POWER	General purpose receptacles above counter and throughout

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D3.1	
BASE DESIGN ROOM	PF004	
NUMBER:		
COMPONENT GROUP	Program F	exibility
AREA NAME	COMMUN	TY RESOURCE CENTRE
OCCUPANT		
COMMUNICATIONS		Data and telephone outlets,(not connected to school intercom)
CLASS CALL/INTERCOM		Via ceiling speakers
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projectors)		N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		Provide motion detectors in room.
OTHER		

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D3.2
BASE DESIGN ROOM NUMBER:	PF007
COMPONENT GROUP	Program Flexibility
AREA NAME	MEETING ROOM
OCCUPANT	

OCCUPANT	
FUNCTIONAL CRITERIA	
SPACE FUNCTION	Flexible meeting space immediately adjacent to Community Resource Centre
PRIMARY USER	staff, students, visitors, community
DESIGNED OCCUPANCY NUMBER	12
ORIENTATION / VIEWS	Community Resource Centre program space
DAYLIGHTING	Desirable
SPECIAL CONSIDERATIONS	
ARCHITECTURAL	
DOOR TYPE	Wood door/PSF
WINDOW, EXTERIOR	
WINDOW, INTERIOR	Yes
MILLWORK	
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	
OTHER	
FLOORS	Carpet tile
WALLS	Paint
CEILING	ACT
DOOR HARDWARE	Lockable
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND EQUIP	PMENT LIST
ТҮРЕ	QT DESCRIPTION
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
SFECIAL REQUIREMENTS	Column free space
MECHANICAL	
OTHER	
ELECTRICAL	
LIGHTING	Dimmable lighting
LIGHTING CONTROL	Occupancy sensor with dimmer and override switches
POWER	General purpose receptacles, floor box with power and data,
COMMUNICATIONS	Data and telephone outlets, (not connected to school intercom)
CLASS CALL/INTERCOM	Via ceiling speakers

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D3.2	
BASE DESIGN ROOM NUMBER:	PF007	
COMPONENT GROUP	Program Flexibility	
AREA NAME	MEETING R	ROOM
OCCUPANT		
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projectors)		N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D3.3
BASE DESIGN ROOM NUMBER:	PF006
COMPONENT GROUP	Program Flexibility
AREA NAME	OFFICE
OCCUPANT	Community Resource Centre Staff

OCCUPANT Comm	unity Resource Centre Staff
FUNCTIONAL CRITERIA	
SPACE FUNCTION	Office immediately adjacent to Community Resource Centre
PRIMARY USER	staff
DESIGNED OCCUPANCY NUMBER	1
ORIENTATION / VIEWS	Community Resource Centre program space
DAYLIGHTING	Desirable Borrowed
SPECIAL CONSIDERATIONS	
ARCHITECTURAL	
DOOR TYPE	Wood door/PSF
WINDOW, EXTERIOR	
WINDOW, INTERIOR	Yes
MILLWORK	
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	
OTHER	
FLOORS	Carpet tile
WALLS	Paint
CEILING	ACT
DOOR HARDWARE	Lockable
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND E	
ТҮРЕ	QT DESCRIPTION
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
BATCHABIICAL	
MECHANICAL	
OTHER	
ELECTRICAL	
LIGHTING	Non-Dimmable lighting
LIGHTING CONTROL	Occupancy sensor with manual override switch
POWER	Workstation receptacles and general purpose receptacles
COMMUNICATIONS	Data and telephone outlets, (not connected to school intercom)
CLASS CALL/INTERCOM	Via ceiling speakers
	,

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D3.3	
BASE DESIGN ROOM NUMBER:	PF006	
COMPONENT GROUP	Program Flexibility	
AREA NAME	OFFICE	
OCCUPANT	Communit	y Resource Centre Staff
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, project	ors)	N/A
DATA		
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		

ROOM DATA SHEET	
FUNCTIONAL PROGRAM ROOM NUMBER:	D3.4
BASE DESIGN ROOM NUMBER:	PF005
COMPONENT GROUP	Program Flexibility
AREA NAME	W/C
OCCUPANT	

OCCUPANT	
FUNCTIONAL CRITERIA	
SPACE FUNCTION	Community Resource Centre barrier free washroom
PRIMARY USER	
DESIGNED OCCUPANCY NUMBER	
ORIENTATION / VIEWS	Community Resource Centre program space
DAYLIGHTING	None required
SPECIAL CONSIDERATIONS	Include change table
ARCHITECTURAL	
DOOR TYPE	Wood door/PSF
WINDOW, EXTERIOR	
WINDOW, INTERIOR	
MILLWORK	
PRIVACY/SECURITY	
INTERIOR FEATURES	
SPECIALTIES	
OTHER	
FLOORS	RSF
WALLS	Paint, Ceramic tile to 4'
CEILING	GWB
DOOR HARDWARE	Lockable
EXTERIOR WINDOW COVERINGS	
INTERIOR WINDOW COVERINGS	
FF&E REFER TO FURNITURE AND EQUIP	
TYPE	QT DESCRIPTION
STRUCTURAL	
SPECIAL REQUIREMENTS	Column free space
MECHANICAL	
OTHER	Exhaust, Water Closets, Lavatories, Floor Drains
ELECTRICAL	
LIGHTING	Non-Dimmable lighting
LIGHTING CONTROL	Occupancy sensor with manual override switch
POWER	GFI receptacles above counter at sink
COMMUNICATIONS	N/A
CLASS CALL/INTERCOM	N/A
•	

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D3.4	
BASE DESIGN ROOM NUMBER:	PF005	
COMPONENT GROUP	Program Flexibility	
AREA NAME	W/C	
OCCUPANT		
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projectors)		N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		Electric hand dryer. All receptacles shall be child proof.

	Functional Program Room Data Sheet					
ROOM DATA SHEET	ROOM DATA SHEET					
FUNCTIONAL PROGRAM ROOM NUMBER:	D3.5					
BASE DESIGN ROOM NUMBER:						
COMPONENT GROUP	Program F	lexibility				
AREA NAME	COMMUN	IITY STORAGE				
OCCUPANT	Communi	ty Users				
FUNCTIONAL CRITERIA						
SPACE FUNCTION		Flexible storage space				
PRIMARY USER		Community Members				
DESIGNED OCCUPANCY NU	MBER					
ORIENTATION / VIEWS						
DAYLIGHTING						
SPECIAL CONSIDERATIONS		Chain link fence complete with lockable gate				
ADCULTECTUDAL						
ARCHITECTURAL DOOR TYPE						
WINDOW, EXTERIOR						
WINDOW, INTERIOR						
MILLWORK						
PRIVACY/SECURITY						
INTERIOR FEATURES						
SPECIALTIES						
OTHER		Fire and accounts				
FLOORS		Exposed concrete				
WALLS		Paint Expected Structure				
CEILING		Exposed Structure				
DOOR HARDWARE	OINICS	Lockable				
EXTERIOR WINDOW COVER INTERIOR WINDOW COVER						
INTERIOR WINDOW COVER	CDVIII					
FF&E REFER TO FURNITURE	AND EQUI	PMENT LIST				
TYPE	,	QT DESCRIPTION				
STRUCTURAL						
SPECIAL REQUIREMENTS		Column free space				
MECHANICAL						
OTHER						
ELECTRICAL						
LIGHTING		Non-Dimmable lighting				
LIGHTING CONTROL		Occupancy Sensor w/ manual override switches				
POWER		General purpose receptacles				
COMMUNICATIONS		N/A				
CLASS CALL/INTERCOM		N/A				

ROOM DATA SHEET		
FUNCTIONAL PROGRAM ROOM NUMBER:	D3.5	
BASE DESIGN ROOM NUMBER:		
COMPONENT GROUP	Program Flexibility	
AREA NAME	COMMUNI	TY STORAGE
OCCUPANT	Community	Users
CLOCK		N/A
SOUND ENHANCEMENT		N/A
SPECIALTY A/V (TV, projectors)		N/A
DATA		N/A
SECURITY - CARD ACCESS		N/A
SECURITY - VIDEO SURVEILLANCE		N/A
SECURITY - INTRUSION		N/A
OTHER		N/A